

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

5. LEASE DESIGNATION AND SERIAL NO.

NM-9702

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

Prisor Unit

8. FARM OR LEASE NAME

Prisor Federal Unit

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 20, T-16-S, R-1-E

12. COUNTY OR PARISH

Sierra

13. STATE

New Mexico

RECEIVED

MAR 23 1977

U.S.G.S.
ARTESIA, OFFICE

1. OIL WELL GAS WELL OTHER

2. NAME OF OPERATOR

Exxon Corporation

3. ADDRESS OF OPERATOR

P.O. Box 1600, Midland, Texas 79702

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

1980' FNL & 1980' FWL of Section

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

GR 4613'

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other) _____

(Other) _____

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

(Jim Shaw with Exxon discussed with Mr. Jim Knauf of the U.S.G.S. the placing of cement plugs before the work was done.)

RECEIVED

- Plug #1, 10,900'-10,700' w/45 sx. Class H
- Plug #2, 10,250'-10,050' w/45 sx. Class H
- Plug #3, 8,385'- 8,235' w/35 sx. Class H
- Plug #4, 6,810'- 6,960' w/35 sx. Class H
- Plug #5, 5,480'- 5,330' w/45 sx. Class H

MAR 10 1977

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

Set cement retainer at 5326' and squeezed 60 sx. Class H cement w/0.2% HR-12 below retainer. (Sundry Notice covering above work filed 2-22-77) Well to be perforated from 5161-5225, acidized and tested before setting the following plugs to abandon.

- Plug #1, 5148'-4998' w/60 sx. Class H
- Plug #2, 2595'-2395' w/75 sx. Class H

Install dry hole marker.

Surface plug will not be set as BLM has made request to take over well.

18. I hereby certify that the foregoing is true and correct

SIGNED Melba Knippling

TITLE Proration Specialist

DATE 3-7-77

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____

*See Instructions on Reverse Side