N. M. O. C. $\mathcal{L}_{i,j}$ NITED STATES SUBMIT IN LICATE*
DEPARTMENT OF THE INTERIOR (Other instructions on reverse side) Form approved. Budget Bureau No. 42-R1424. Form 9-331 (May 1963) 5. LEASE DESIGNATION AND SERIAL NO. **GEOLOGICAL SURVEY** N.M. 032354 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME WELL | WELL Plug & Abandon S. FARM OR LEASE NAME Texas Oil & Gas Corp.
3. ADDRESS OF OPERATOR Federal "C" ADDRESS OF OPERATOR 9. WELL NO. P. O. Box 7069, Amarillo, Texas

Location of well (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface 10. FIELD AND POOL, OR WILDCAT Wildcat 11. SEC., T., R., M., OR BLK. AND SURVEY OR ARBA 660' FNL, 700' FEL, Sec. 23, T-18S, R-20E Sec. 23, T=18S, R-20E 15. ELEVATIONS (Show whether DF. RT. GR. etc.) 12, COUNTY OR PARISH | 13, STATE 14. PERMIT NO. 4459.3 GL New Mexico 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: REPAIRING WELL PULL OR ALTER CASING TEST WATER SHUT-OFF WATER SHUT-OFF FRACTURE TREATMENT ALTERING CASING FRACTURE TREAT MULTIPLE COMPLETE ABANDONMENT* SHOOTING OR ACIDIZING ABANDON* SHOOT OR ACIDIZE CHANGE PLANS REPAIR WELL (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Drilled 7 7/8" hole 1515' to TD-6831 w/Air 1. Plugged well with 150 sacks Common Cement w/verbal approval 5/18/67, 2. Mr. Robert L. Beckman, USGS, Artesia, New Mexico. Interval Cement 6800 - 6700 35 sacks 4200 - 4100 35 sacks 3100 - 3000 35 sacks 1565 - 1465 (50' in & out surface Csg. set @ 1515') Surface Plug 0 - 20' w/4" marker set in top 35 sacks 10 sacks 18. I hereby certify that the foregoing is frue and correct Dist. Engr. SIGNED Woodard Max

AUG

DATE

3 1957

(This space for

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY: