


Copied to S.F.

(Revised 7/1/62)  
(Form C-105)



NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

RECEIVED

WELL RECORD

APR 17 1969

O. C. C.  
ARTESIA, OFFICE

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

3471 First Nat'l Bank Bldg  
Dallas, Texas 75202

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Dalport Oil Corporation  
(Company or Operator)

Somico-State  
(Lease)

Well No. 1, in SE 1/4 of SE 1/4, of Sec. 24, T. 14-S, R. 29-E, NMPM.

Wildcat

Pool,

Chaves

County.

Well is 660 feet from East line and 660 feet from South line

of Section 24. If State Land the Oil and Gas Lease No. is K-6772

Drilling Commenced April 2nd, 1969 Drilling was Completed April 6th, 1969

Name of Drilling Contractor Cactus Drilling Company

Address Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3820.4 Ground. The information given is to be kept confidential until April 7th, 1969.

OIL SANDS OR ZONES

No. 1, from None to No. 4, from to  
No. 2, from to No. 5, from to  
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.  
No. 2, from to feet.  
No. 3, from to feet.  
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	20#	New	317'	Guide			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11"	8 5/8	317'	200	Halliburton		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None

Result of Production Stimulation None

Depth Cleaned Out

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 2000 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico				Northwestern New Mexico			
T. Anhy.	302			T. Devonian			T. Ojo Alamo
T. Salt	430			T. Silurian			T. Kirtland-Fruitland
B. Salt	1121			T. Montoya			T. Farmington
T. Yates	1218			T. Simpson			T. Pictured Cliffs
T. 7 Rivers	1350			T. McKee			T. Menefee
T. Queen	1975			T. Ellenburger			T. Point Lookout
T. Grayburg				T. Gr. Wash.			T. Mancos
T. San Andres				T. Granite			T. Dakota
T. Glorieta				T.			T. Morrison
T. Drinkard				T.			T. Penn
T. Tubbs				T.			T.
T. Abo				T.			T.
T. Penn				T.			T.
T. Miss				T.			T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	302	302	Red shale and sand				
302	430	128	Anhydrice				
430	1120	690	Salt				
1120	1218	98	Anhydrite				
1218	1352	134	Red sand and shale				
1352	1916	564	Anhydrite, Salt, red shale				
1916	1975	59	Red Sand, anhydrite				
1975	2000	25	Red sand, anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

4-14-69

(Date)

Company or Operator DALPORT OIL CORPORATION

Address 3471 First Natl Bank Bldg, Dallas,  
Texas 75202

Name W. F. Toad

Position or Title President

# INCLINATION REPORT

OPERATOR Dalport Oil Corp. ADDRESS 3471 First National Bank Bldg.  
 LEASE Somico-State WELL NO. 1 FIELD Chaves County, N. M.  
 LOCATION 660' FSL & FEL, S-24, T-14-S, R-29-E

Depth	Angle Inclination 'degrees)	Displacement	Displacement Accumulated
330'	1/4	1.4520	1.4520
700'	1/2	3.2190	4.6710
1160'	1/2	4.0020	8.6730
1537'	3/4	4.8470	13.5200
1920'	1	6.7025	20.2225

I hereby certify that the above data as set forth is true and correct to the best of my knowledge and belief.

Cactus Drilling Company

*Ronnie Ramsey*  
 Title: Clerk

Affidavit:

Before me, the undersigned authority, appeared Ronnie Ramsey known to me to be the person whose name is subscribed herebelow, who, on making deposition, under oath states that he is acting for and in behalf of the operator of the well identified above, and that to the best of his knowledge and belief such well was not intentionally deviated from the true vertical whatsoever.

*Ronnie Ramsey*  
 (Affiant's Signature)

Sworn and subscribed to in my presence on this the 11 day of April  
19 69.

*Agnes R. Brown*  
 Notary Public in and for the County  
 of Lea, State of New Mexico

Seal