

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Commission not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 30 through 34 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE


Southeastern New Mexico

Northwestern New Mexico

T. Anhy <u>230</u>	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt <u>355</u>	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt <u>1025</u>	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates <u>1400</u>	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers <u>1725</u>	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen <u>1884</u>	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____	T. Simpson _____	T. Gallup _____	T. Ignacio Qtzte _____
T. Glorieta _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinberry _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Granite _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Delaware Sand _____	T. Entrada _____	T. _____
T. Abo _____	T. Bone Springs _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn. _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn. "A" _____	T. _____

FORMATION RECORD (Attach additional sheets if necessary)

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
65	230	165	Red Beds				
230	280	50	Anhydrite				
280	355	75	Anhydrite Shales				
355	1025	670	Salt				
1025	1150	125	Anhydrite				
1150	1290	140	Sand				
1290	1325	35	Sand & Anhydrite				
1325	1400	75	Anhydrite				
1400	1450	50	Sand Shale				
1450	1725	275	Anhydrite				
1725	1730	5	Sand				
1730	1884	154	Anhydrite				
1884	1900	16	Sand				
1900	1916	16	Anhydrite				
1916	2001	85	Anhydrite & Shale				



STATE #1

2" by 2

RECEIVED

RECEIVED