

STATE		COUNTY	FILE	ON	COMPANY									
NEW MEXICO		CHAVES	3913	DF	McCLELLAN					JACK L. McCLELLAN				
KIND OF SAMPLES		LOCATION			S	T		R	FARM			WELL NO.		
ABLE TOOL		990'FSL & 330'FEL			12	15-S		29E	BARBARA FEDERAL			1		
DEPTH	DOLO	LIME	Description	SALT	AHNY	SHALE				SAND		CHT.	NOTES	
	%	%		%	%	Red	Gry.	Grn.	Blk.	Red	Gry.	Description		%
350-55					100	Dirty								
60					100	Snow white.								
63					100									
65					100									
1097-1103				20	20									
15				50	50									
25				40	60									
45				30	70									
60				60	40									
75				10	90									
85				90	10									
1202				30	70									
16					100									
25				30	70									
35					100	Grey & wh.								
43					100									
55				70	30									
65			T. Yates 1255							90	10	fg friable		
74										90	10			
83										90	10			
90										90	10			
1748-58					100									
66					90		10							
75					100									
85					90					10		Silt		
95					70					30	fg	tight - light color		
1805					60					30	10	" "	"	
15					80					20		" "	"	
25					70					30				
38				30	60					10				
50				10	90									

RECEIVED

FEB 11 1971

D.G.C.
ARTESIA, OFFICE

ELECTRICAL & RADIO-ACTIVITY LOG DUE

Rule 1105, Commission Rules & Regulations, reads in part, "Within 20 days following the completion or recompletion of any well, the operator shall file Form C-105* with the Commission. It must be filed in QUINTUPLICATE and each copy accompanied by a summary of all special tests conducted on the well, including drill stem tests. In addition, one copy of all electrical and radio-activity logs run on the well must be filed with Form C-105.

THIS WELL WAS NOT LOGGED. ATTACHED SAMPLE DESCRIPTION.

*Form C-105 is not required on Federal Wells, however, one set of logs should be sent to the appropriate Commission office.

RECEIVED

FEB 1 1971

D. D. C.
ARTORIA, OFFICE