

Form 3160-5  
(June 1990)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

NM Oil Cons. Com. assist.  
Drawer PD  
Artesia, NM 88220

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.

NM-0282501-1

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Sulimar No. 1

9. API Well No.

30-005-60194

10. Field and Pool, or Exploratory Area

Sulimar (Queen)

11. County or Parish, State

Chaves, New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Stevens & Co., Inc.

3. Address and Telephone No.

P. O. Box 1, Hondo, New Mexico 88336-0001

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1800' FSL & 2150' FWL

Sec. 26, T-15-S, R-29-E (K)

O. C. D.  
ARTESIA, OFFICE

JUL 29 '94

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 1.) Move in and rig up.  
2.) Pull rods and tubing.  
3.) Set CIBP at 1850' +/-, dump <sup>35'</sup>~~30'~~ of cement on plug, circulate hole with 10#/gallon brine.  
4.) Cut 4-1/2" casing at 320' +/-, pull and lay down casing.  
5.) Spot a 60 sack plug 370' to 270'. <sup>Tag plug</sup>  
6.) Set <sup>30'</sup>~~20'~~ (20 sack) plug from <sup>40'</sup>~~30'~~ to 0'.  
7.) Cut off well head, install dry hole marker.  
8.) Remove all equipment, clean-up, rip and re-seed.

14. I hereby certify that the foregoing is true and correct

Signed

Title Agent for Stevens & Co., Inc.

Date July 26, 1994

(This space for Federal or State office use)

Approved by

Title

Conditions of approval, if any:

APPROVED  
PETER W. CHESTER  
Date

JUL 27 1994

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
ROSSELL RESOURCE AREA

Sulimar #1

API # 30-005-60/94

1800 FSL & 2150 FWL

Sec 26, T-15-S, R-29-E

CHAVES, NEW MEXICO

8-5/8" set @ 318'

cmt w/ 200 sx

= QUEEN'S  
1916-1932'

4-1/2" set @ 1957'

cmt w/ 150 sx

JEB  
7/27/94

RECEIVED

JUL 27 9 12 AM '94

BUTLER  
ROCK  
447

JUL 21 3 12 AM '54

10

COUNTY CHAVES, NEW MEX. FIELD SULIMAR (QUEEN)

OPR. READ & STEVENS, INC.

LSE SULIMAR WELL NO. 1

LOC Sec 26, T-15-S, R-29-E (K)

1800 FSL & 2150 FWL of Section

Loc orig. rptd 2150 FSL & 1800 FWL of Sec.

UNIQUE NO. 30-005-60194 Re-Issued to corr unique number

MAPS \_\_\_\_\_ CO-ORD \_\_\_\_\_

F. R. 10-6-71 OBJ 2100' RT SPUD 10-7-71

CTR Cortez LAHEE CLASS \_\_\_\_\_ ELEV D. F. 3886' \*

LOGS \_\_\_\_\_ SPLS \_\_\_\_\_ GL 3881'

TD 1957' PBD 1940' ABD LOC. \_\_\_\_\_ P & A \_\_\_\_\_

PAY ZONE	PROD INTERVAL	IP	BO	W	HRS	CHK	TEST B.
Queen	1916-32	P	81		24		

GCR	GTY	CP	TP	BHP	POT DATE	TREATMENT
378	38				11-22-71	SOF/15,000

CSG 8 5/8 - 318 - 200

1 1/2 - 1957 - 150

[illegible]