

NM Oil Cons. Comm. on  
Drawer DD  
UNITED STATES Artesia, NM 88210  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
Budget Bureau No. 1004-0135  
Expires: March 31, 1993

5. Lease Designation and Serial No.  
NM-0282501-1

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Sulimar No. 2

9. API Well No.

3-005-60206

10. Field and Pool, or Exploratory Area

Sulimar (Queen)

11. County or Parish, State

Chaves, New Mexico

**SUNDRY NOTICES AND REPORTS ON WELLS**

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.  
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

RECEIVED

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Stevens & Co., Inc.

3. Address and Telephone No.

P. O. Box 1, Hondo, New Mexico 88336-0001 (505) 653-4379

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

990' FSL & 990' FWL  
Sec. 26, T-15-S, R-29-E (M)

O. C. D.  
ARTESIA OFFICE

JUL 29 '94

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒ Notice of Intent  
☐ Subsequent Report  
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment  
☐ Recompletion  
☐ Plugging Back  
☐ Casing Repair  
☐ Altering Casing  
☐ Other

- ☐ Change of Plans  
☐ New Construction  
☐ Non-Routine Fracturing  
☐ Water Shut-Off  
☐ Conversion to Injection  
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

- 1.) Move in and rig up.  
2.) Pull rods and tubing.  
3.) Set CIBP at 1850' +/-, dump 35' cement on plug, circulate hole with 10# gallon brine.  
4.) Cut 4-1/2" casing at 320' +/-, pull and lay down casing.  
5.) Spot a 60 sack plug 370' to 270'. Tag plug.  
6.) Set 50' (20 sack) plug from 50' to 0'.  
7.) Cut-off well head, install dry hole marker.  
8.) Remove all equipment, clean-up, rip and re-seed.

14. I hereby certify that the foregoing is true and correct

Signed

Agent for Stevens & Co.


July 26, 1994

(This space for Federal or State office use)

Approved by

Title

Conditions of approval, if any:



Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

\*See Instruction on Reverse Side

Sulimar #2

API # 30-005-60206

990 FSL & 990 FWL

Sec 26, T-15-S, R-29-E

CHAVES, NEW MEXICO

8-5/8" set @ 292'

cmt w/ 150 SX

QUEEN PERFS,  
1890-1906'

5-1/2" set 1940'

cmt w/ 100 SX

gels  
7/27/94

RECEIVED  
JUL 27 9 11 AM '94  
SULIMAR  
ROBERT  
SULIMAR

JUL 27 9 11 AM '94

BLANK  
POST  
4000

UNIQUE NO. 30-005-60206

CTR \_\_\_\_\_ LAHEE CLASS \_\_\_\_\_ ELEV D. F. 3855'\*

TD 1940 PBD 1920 ABD LOC. \_\_\_\_\_ P & A \_\_\_\_\_

PAY ZONE	PROD INTERVAL	IP	BO	W	HRS	CHK	TEST BASIS
----------	---------------	----	----	---	-----	-----	------------

GOR	GTY	CP	TP	BHP	POT DATE	TREATMENT
301	38				2-17-72	SOE/20,000

COUNTY CHAVES, NEW MEXICO FIELD SULIMAR (QUEEN)  
WELL: READ & STEVENS #2 SULIMAR ELEV 3855' \*-DE

FE	WELL RECORD	REACHED T. D.	SPL (LOG) MARKERS
	TD 1940'	PB 1920'	Yates(1138)
	@ 1892 Bailed 25 gals oil PH		7 Riv(1315)
	@ 1901 Bailed 100 gals oil PH		Qn(1889)
	Pf 32/1890-1906		
	SOF/ 20,000 X 19,700'		
	(3-1-72)		