

(May 1963)

UNITED STATES GEOLOGICAL SURVEY
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(One copy to be submitted on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

USA-NM -0505999

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Federal "A"

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Lucky Lake South

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 21, T 15 S - R 29 E

12. COUNTY OR PARISH 13. STATE

Chaves Co. New Mexico

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☐ GAS WELL ☐ OTHER Dry Hole

2. NAME OF OPERATOR
Jack J. Grynberg

3. ADDRESS OF OPERATOR
1050- 17th Street, Suite 1950, Denver, CO

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface
2310 FSL & 2310 FWL Sec. 21, T 15 S - R 29 E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3804 GL 3809.5 KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

1730
TD, 1720' Log Depth
8 5/8 @ 276' log depth w/ 180 sx. circulated

Plugging Record: *

100' plug 1620' - 1720'
100' plug 750' - 850'
100' plug 225' - 325' (Across bottom of 8 5/8 sfc csg)

20 sack plug at surface w/dry hole marker
Heavy Mud was pumped between the plugs by Halliburton

* Verbal instructions from Jim Knauf to C.H. Juni 2/7/74

RECEIVED

FEB 19 1974

U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

Cecil D. Gritz

TITLE

Cecil D. Gritz

Petroleum Engineer

DATE 2/7/74

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

APPROVED

MAR 8 1974

R. L. BEEKMAN

ACTING DISTRICT ENGINEER

*See Instructions on Reverse Side