

UNMOCC COPY  
UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYSUBMIT IN TRIPL  
(Other Instructions  
reverse side)Form approved.  
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM 17571

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Riverbend "HR" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND  
SURVEY OR AREA

Sec. 33-15S-26E

Unit O NMPM

12. COUNTY OR PARISH 13. STATE

Eddy

NM

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Yates Petroleum Corporation

3. ADDRESS OF OPERATOR

207 South Fourth Street - Artesia, N.M. 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.  
See also space 17 below.)  
At surface

660' FSL &amp; 1980' FEL of Section 33-15S-26E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3422' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON\* ☐CHANGE PLANS ☐

## SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) Set Production Casing ☒(NOTE: Report results of multiple completion on Well  
Completion or Recompletion Report and Log form.)REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT\* ☐

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) \*

TD 8500'. Plugged back as follows: Set 50 sacks of Class "H" cement plugs at 8200-8050'; 7170-7200'; and 5750-5620'. Ran 151 joints of 4½" 10.5# J-55 casing (5582') KB. 1-guide shoe at 5582' and diff-fill collar at 5550'. Centralizers at 5550, 5509, 5468, 5427, and 5386'. Cemented as follows: 10 bbls KCL water followed w/6 bbls mud flush, 315 sacks of Class "H" + .6% CFR-2 + 5#/sx KCL displaced w/20 bbls KCL and 68 bbls fresh water. PD 11:15 AM 5-2-77. WOC and tested to 1500#. OK. Ran Temperature Survey, found top of cement at 4610'. WLPBTD 5510'.

RECEIVED

JUN 09 1977

U.S. GEOLOGICAL SURVEY  
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

*Christie Tomlinson*

TITLE

Geological Secretary

DATE

June 9, 1977

(This space for Federal or State office use)

APPROVED BY

*Lee J. Lora*

TITLE

ACTING DISTRICT ENGINEER

DATE

JUN 10 1977

CONDITIONS OF APPROVAL, IF ANY: