

Form 9-331
(May 1963)UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM - 10597

6. IF INDIA, ALLOTEE OR TREE NAME

NOV 20 1979

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
ARTESIA, OFFICE

"JM" Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Wildcat

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 23, T15S, R28E

12. COUNTY OR PARISH 13. STATE

Chaves

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepening of a well or to alter a reservoir.
Use "APPLICATION FOR PERMIT" form for such purposes.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

NOV 19 1979

2. NAME OF OPERATOR

McClellan Oil Corporation

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

3. ADDRESS OF OPERATOR

P. O. Drawer 730, Roswell, New Mexico 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

660' FSL & 660' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3618.7 G. L.

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☐SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☒CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☒ Surface CasingREPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

11/16/79: Pursuant to verbal instruction; it is proposed to plug and abandon
this test as follows:100' plug 1250' - 1350' (Queen)
100' plug 350' - 450' (Base Salt)
100' plug 175' - 275' (Base 8 5/8" csg. and top of salt)
10 sx. plug @ surfaceHeavy mud will be placed between all plugs. Dry hole marker will be
installed and the location restored on or near as possible to its
original condition.

18. I hereby certify that the foregoing is true and correct

SIGNED

J. J. McClellan

TITLE

Operator

DATE 11/16/79

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side