

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
SUBMIT IN TRIPPLICATE
(Other instructions on reverse side)Form approved
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER	5. LEASE DESIGNATION AND SERIAL NO. NM-068043
2. NAME OF OPERATOR Read & Stevens, Inc. ✓	6. IF INDIAN, ALLOTTEE OR TRIBE NAME -
3. ADDRESS OF OPERATOR P.O. Box 1518, Roswell, New Mexico 88201	7. UNIT AGREEMENT NAME -
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 990' FSL and 990' FEL	8. FARM OR LEASE NAME Harris Federal O.C.D.
14. PERMIT NO.	9. WELL NO. 4
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 3520.4 GR	10. FIELD AND POOL, OR WILDCAT Buffalo Valley
	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 26-15S-27E
	12. COUNTY OR PARISH Chaves
	13. STATE NM

RECEIVED

APR 06 1981

10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Cement


(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

3-28-81 Spudded PM 3-28-81. Rig up WEK rig.

3-29-81 WOC. Depth 345'. Anhy. mud FW. KB 12'. Dev. @ 345' 3/4 degree. Spud @ 12:30pm 3-28-81. Drld 17 1/2" hole to 345'. TD @ 8:30pm 3-28-81. Lost returns @ 135', had a 12' drop. Ran 9 jts, total 333', 13 3/8"-48# ST&C @ 345', cmt'd w/ 175sx HLC w/ 5# gilsonite, 1/2# flocele, 200sx "C", 2% CaCl2. plgd down 6:00am 3-29-81. cem did not circ, cem back to surf w/ 9 yds Readymix.

3-30-81 3 days. Depth 414'. drlg. Anhy. 69' prog. mud FW. Tested BOP & 13 3/8" csg at 1000psi for 30 min, tested satisfactorily.



18. I hereby certify that the foregoing is true and correct

SIGNED Bruce Stables TITLE Drilling & Production Mgr DATE 3-30-81(This space for Federal APPROVED FOR RECORD
PETER W. CHESTERAPPROVED BY APR 3 1981

CONDITIONS OF APPROVAL, IF ANY

TITLE _____ DATE _____

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

See instructions on Reverse Side