

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPPLICATE
(Other instructions on re-
verse side)Form approved
Budget Bureau No. 42-21424.
5. LEASE DESIGNATION AND SERIAL NO.

NM-068043

6. IF INDIAN, ALLOTTEE, OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Harris Federal

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Buffalo Valley

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 26-15S-27E

12. COUNTY OR PARISH 13. STATE

Chaves

NM

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)1. OIL WELL ☐ GAS WELL ☒ OTHER

2. NAME OF OPERATOR

Read & Stevens, Inc. /

3. ADDRESS OF OPERATOR

P.O. Box 1518, Roswell, NM 88201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)

At surface

990' FSL & 990' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, OR, etc.)

3520.4' GR

O. C. D.
ARTESIA, OFFICE

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 8-11-81 RU DA&S unit, loading w/ 2% KCL water, unseated guiv pkr, pulled tbg, ran tbg w/ Halliburton RBP & RTTS pkr. Set RBP @ 8834' RKB, set pkr @ 8648' RKB. Prep to swb & perf.
- 8-12-81 Swb tbg dry. Ran Welex, perf tbg w/ 2 shots/ft, 8728'-8732', 8738'-8746', 12', 24 holes. Pull wireline @ 20# tbg pres. Open to air, burn flare 2' to 3', made 3 swb runs, rec very little fluid. No increase in gas, SI 4pm.
- 8-14-81 Tbg pres 800psi, swbd 250' gas cut fluid. Acidized w/ 2000gal 7½% Morrow flo acid w/ 80,000 SCF N₂ & ballsealers. Opened up @ 12:30pm w/ 2700 psi on tbg, flowed till 2:00pm & died. Made 5 swb runs, swbd tbg dry, no fluid entry, left 2 swb cups & mandrel in the hole on last run. SION.

18. I hereby certify that the foregoing is true and correct

SIGNED

Bru Stables

TITLE Drilling & Production Mgr DATE 8-14-81

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

ACCEPTED FOR RECORD

DATE

AUG 28 1981

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side