

5. LEASE DESIGNATION AND SERIAL NO.
Artesia, NM 88210 NM-068043

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposals.)

1. OIL ☐ GAS ☐
WELL ☐ WELL ☒ OTHER

2. NAME OF OPERATOR
Read & Stevens, Inc. ✓

3. ADDRESS OF OPERATOR
P.O. Box 1518, Roswell, NM 88201

4. LOCATION OF WELL (Report location clearly and in accordance with State requirements.* See also space 17 below.)
At surface
1650' FNL & 1650' FWL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)
3518' GR

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME
Harris Federal

9. WELL NO.
8

10. FIELD AND POOL, OR WILDCAT
Buffalo Valley Penn.

11. SEC. T., R., M., OR BLK. AND
SURVEY OR AREA
Sec. 26-15S-27E

12. COUNTY OR PARISH
Chaves

13. STATE
NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF
FRACTURE TREAT
SHOOT OR ACIDIZE
REPAIR WELL
(Other)

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

PULL OR ALTER CASING
MULTIPLE COMPLETE
ABANDON*
CHANGE PLANS

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF
FRACTURE TREATMENT
SHOOTING OR ACIDIZING
(Other) Ran csg, cmt, tbq & tested

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>

REPAIRING WELL
ALTERING CASING
ABANDONMENT*

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

8-20-82 Ran 211jts 4 1/2" csg set @ 8934'; 23jts 977', 11.6# N-80, 30jts 1295', 11.6# K-55, 113jts 4758.5', 10.5# K-55, 45jts 1942.4', 11.6# K-55. FC @ 8890.9. Cmt w/500sx Class "H" .6% Halad-9, .4% CFR-2 & 900sx HLC w/.3% Halad-9. 10 gal zinc chromate ahead of cmt. PD @ 3:00am

8-21-82 WOC 18hrs. Tested cmt & csg @ 1000psi for 30min. Tested satisfactorily.

8-24-82 TOC @ 4600', PBD 7622'.

8-30-82 Run bond log, fair bond. Prep to perf 8616'-8644', 8650'-8654' & 8664'-8672' Monday PM. Ran 269jts 2 3/8" tbq set @ 8538'.

8-31-82 GIH w/GEO Vann perf guns, perf 8616'-8644', 8650'-8654', 8664'-8672', 4 shots/'. GTS in 3min, flwg @ 1750psi on 20/64" choke, 4.2 MMCFD.

9-4-82 Pkr set @ 8544'.

I hereby certify that the foregoing is true and correct

SIGNED

B. Stubby

TITLE Drilling & Production Manager

DATE

9-8-82

(This space for Federal or State office use)

APPROVED BY

ACCEPTED FOR RECORD
(ORIG. SGD.) DAVID R. GLASS

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

OCT 12 1982

U.S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

*See Instructions on Reverse Side