	-	cist
Form 9331 Dec. 1973		Form Approved.
Dec. 1975	UNITED STATESMM OIL CONS. COMMIS DEPARTMENT OF THE DIER OF DD	
	GEOLOGICAL SURVEYesia, NM 88210	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	NOTICES AND REPORTS ON WELLS form for proposals to drill or to deepen or plug back to a different m 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME Sulimar Queen Unit RECEIVED 8. FARM OR LEASE NAME
1. oil well 🕅	gas well Other	Tract 1 9. WELL NO. NOV 1 9 1982
	OPERATOR lan Oil Corporation OF OPERATOR	15 10. FIELD OR WILDCAT NAME O. C. D. Sulimar Queen ARTESIA, OFFICE
<u> </u>	Or awer 730, Roswell, N.M. 88202 OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.) AT SURFA	ce: 990' FSL & 2310' FWL rod. interval:	Sec. 13-T15S-R29E 12. COUNTY OR PARISH 13. STATE Chaves NM 14. API NO.
	PROPRIATE BOX TO INDICATE NATURE OF NOTICE, DR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
TEST WATER S FRACTURE TRE SHOOT OR ACC REPAIR WELL PULL OR ALTE	EAT  IDIZE IDIZE ICIC	(NOTE: Report results of multiple com NGV of z67e1982 change on Form 9-330.)
MULTIPLE CON CHANGE ZONE		Cil & CAS
CHANGE ZONE		CIL & COD MINERALS MONT. SERVICE ROSWELL, NEW MEXICO
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e	s 🗍 🗍	MINERALS COMT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is d and true vertical depths for all markers and zones pertiner	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and it to this work.)*
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is d and true vertical depths for all markers and zones pertiner	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and at to this work.)* 1/2" 15.50 1b/ft. used casing.
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is d and true vertical depths for all markers and zones pertiner Drilled to 2021'. Ran 2021' of 5	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and it to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is d and true vertical depths for all markers and zones pertiner B2 Drilled to 2021'. Ran 2021' of 5 Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and at to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021'
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a 11-05-8	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is d and true vertical depths for all markers and zones pertiner B2 Drilled to 2021'. Ran 2021' of 5 Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey	MINERALS MAINT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and it to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021' . Fraced with 10,000 gal.
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a 11-05-8	ROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is d and true vertical depths for all markers and zones pertiner B2 Drilled to 2021'. Ran 2021' of 5 Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey B2 Perforated 1990,92,94,96 w/8 holes	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and at to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021' . Fraced with 10,000 gal. d 2000 10/20.
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a 11-05-8 11-07-8 Subsurface Safe	<ul> <li>ROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is dand true vertical depths for all markers and zones pertiner</li> <li>Drilled to 2021'. Ran 2021' of 5</li> <li>Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey</li> <li>Perforated 1990,92,94,96 w/8 holes gelled water and 8000 lbs 20-40 an</li> <li>ety Valve: Manu. and Type</li> </ul>	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and at to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021' . Fraced with 10,000 gal. d 2000 10/20.
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a 11-05-8 11-07-8 Subsurface Safe	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is dand true vertical depths for all markers and zones pertiner 22 Drilled to 2021'. Ran 2021' of 5 Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey 32 Perforated 1990,92,94,96 w/8 holes gelled water and 8000 lbs 20-40 an ety Valve: Manu. and Type rtify that the foregoing is true and correct ACCEPTED FOR RECORD	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and at to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021' . Fraced with 10,000 gal. d 2000 10/20. Set @Ft. <u>DATE November 15, 1982</u>
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a 11-05-8 11-07-8 Subsurface Safe 18. I hereby cer SIGNED	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is dand true vertical depths for all markers and zones pertiner B2 Drilled to 2021'. Ran 2021' of 5 Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey B2 Perforated 1990,92,94,96 w/8 holes gelled water and 8000 lbs 20-40 an ety Valve: Manu. and Type rtify that the foregoing is true and correct CEPTED FOR RECORD (This space for Federal or State off (ORIG, SGD.) DAVID R. CLASS	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and at to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021' . Fraced with 10,000 gal. d 2000 10/20. Set @Ft. <u>DATE November 15, 1982</u>
CHANGE ZONE ABANDON* (other) Casi 17. DESCRIBE including e measured a 11-05-8 11-07-8 Subsurface Safe 18. I hereby cet SIGNED	PROPOSED OR COMPLETED OPERATIONS (Clearly statestimated date of starting any proposed work. If well is dand true vertical depths for all markers and zones pertiner 22 Drilled to 2021'. Ran 2021' of 5 Cemented with 150 sacks Class "C", 8 lb/sk salt. Temperature survey 32 Perforated 1990,92,94,96 w/8 holes gelled water and 8000 lbs 20-40 an ety Valve: Manu. and Type rtify that the foregoing is true and correct ACCEPTED FOR RECORD (This space for Federal or State off (ORIG. SCD.) DAVID P. CLASS	MINERALS MONT. SERVICE ROSWELL, NEW MEXICO e all pertinent details, and give pertinent dates, irrectionally drilled, give subsurface locations and it to this work.)* 1/2" 15.50 lb/ft. used casing. 50/50 Pozmix w/2% gel and after 12 hrs. TOC - 1450' TD - 2021' . Fraced with 10,000 gal. d 2000 10/20. Set @Ft. r

r 15

· .