

WRS COMPLETION REPORT

COMPLETIONS
PI# 30-T-0002 03/17/86 SEC 23 TWP 15S RGE 29E
30-005-62275-0000 PAGE 1

NMEX CHAVES * 660FNL 1980FEL SEC NW NE
STATE COUNTY FOOTAGE SPOT
MCCLELLAN OIL OPERATOR
1 WELL NO. CLARKYLE FEDERAL WELL CLASS INIT FIN
3921GR LEASE NAME
OPER ELEV

SULIMAR
FIELD/POOL AREA
06/25/1985 01/24/1986 ROTARY API 30-005-62275-0000
SPUD DATE COMP. DATE TYPE TOOL PERMIT OR WELL I.D. NO.
3900 QUEEN SALAZAR BROS DRLG D&A-OG
PROJ. DEPTH PROJ. FORM CONTRACTOR STATUS
DTD 3800

DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FM/TD SN ANDRS
LOCATION DESCRIPTION FORM T.D.

22 MI E LAKE ARTHUR, NM

CASING/LINER DATA

CSG 8 5/8 @ 408 W/ 250 SACKS
CSG 4 1/2 @ 3800 W/ 850 SACKS

TYPE	FORMATION	LTH	TOP	DEPTH/SUB	BSE	DEPTH/SUB
LOG	YATES		1176	2745		
LOG	SVN RVRS		1712	2209		
LOG	QUEEN		1904	2017		
LOG	PREMIER		2532	1389		
LOG	SN ANDRS		2572	1349		

CORES

CORE 1 3225- 3256 REC 30.06FT SN ANDRS CONV D003
NO DESCRIPTION AVAILABLE

FORMATION TEST DATA

DST 1 1906- 1920 QUEEN 002
REC 180.0 FT FLUD 400.0 CC FLUD
INIT OP 30M IFP 16 FFP 39
FINAL OP 1H IFP 128 FFP 167
ISIP 575 1H FSIP 619 3H IHP 987 FHP 1005
DP REC 180 FT FLUD W/SSO
SPL REC 400 CC FLUD + .37 CFT GAS

Copyrighted
Reproduction
Prohibited



CONTINUED IC# 300057007985
Petroleum Information
CORPORATION

PI-WRS-GET
Form No 187

COMPLETIONS
PI# 30-T-0002 03/17/86 SEC 23 TWP 15S RGE 29E
30-005-62275-0000 PAGE 2

D D

MCCLELLAN OIL
1

CLARKYLE FEDERAL

PRODUCTION TEST DATA

SN ANDRS PERF W/ 12/IT 3670- 3688 GROSS 005
PERF 3670- 3672 3686- 3688
ACID 3670- 3688 2000GALS
20% HCL

PTS 5BO
SN ANDRS PERF W/ 10/IT 3596- 3604 GROSS 006
PERF 3596, 3598, 3600, 3603, 3604
ACID 3596- 3604 1000GALS
10% HCL
BRPG 3596- 3604 DEPTH 3550
SWBD 5 BO + 34 BSW

SN ANDRS PERF W/ 1/IT 3391- 3400 GROSS 007
PERF 3391, 3395, 3396, 3399, 3400

SN ANDRS PERF W/ 1/IT 3483- 3489 GROSS 008
PERF 3483, 3484, 3488, 3489
ACID 3391- 3489 6000GALS
20% HCL
SGFR 3391- 3489 20000GALS 23000LBS SAND ADDTVGEL
DEPTH 3310

RBP
RPB @ 3310

PTS 1UO
SN ANDRS PERF W/ 2/IT 3239- 3244 GROSS 009
PERF 3239, 3240, 3243, 3244
ACID 3239- 3244 1250GALS
15% HCL
SWBD 100 FT FLUID W/GS OIL

PTS 1BO
SN ANDRS PERF 3239- 3244 GROSS 010
SGFR 3239- 3244 15000GALS 13000LBS SAND
10000# 20/40 3000# 10/20
GEL WTR
SWBD 1 BO + 27 BLW IN LAST RUN

PTP 10BOPD 100BW 3239- 3244 011
SN ANDRS PERF
PERF 3239- 3244

CONTINUED

COMPLETIONS
PI# 30-T-0002 03/17/86 SEC 23 TWP 15S RGE 29E
30-005-62275-0000 PAGE 3

MCCLELLAN OIL
1

CLARKYLE FEDERAL

D D

PRODUCTION TEST DATA

RBP DEPTH 2100
PTP 1UO 147BW 24HRS
QUEEN PERF 1909- 1913 012
PERF 1909- 1913 5000GALS
ACID 1909- 1913 20000GALS 165000LBS SAND
10% HCL
SGFR 1909- 1913 2% KCL ADDTVGEL
20/40
PPD 147 BW W/SSO

LOGS AND SURVEYS /INTERVAL,TYPE/

LOGS CNL DLL MSFL
LOGS SPCT

DRILLING PROGRESS DETAILS

MCCLELLAN OIL
BOX 730
ROSWELL, NM 88201
505-622-3200
05/21 LOC/1985/
07/25 3800 TD, PREP ACID
07/30 3800 TD, PB 3631, SWBG
08/22 3800 TD, PB 3631, SWBG
10/14 3800 TD, SI PBU
10/22 3800 TD, SWBG
10/30 3800 TD, TOP
11/06 3800 TD, RNG TBG
11/30 3800 TD, TOP
12/05 3800 TD, SI WOO
01/13 3800 TD, WO D&A PROCEDURES
03/11 TD REACHED 07/10/85 RIG REL 07/10/85
3800 TD
COMP 1/24/86, D&A
ONE CORE, ONE DST RPTD