

*File*

This is an irregular section, comprising approximately 862.37 acres. Lot 14 has an area of approximately 40.1 acres and the well is to be located 330' from the N and W of Lot 14.

## NEW ICC OIL CONSERVATION COMMISSION

30-015-00091

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Artesia, New Mexico

May 6, 1948

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Place

Date

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

T. E. Boggs

Boggs

Well No. 1

in SE SE NW

Company or Operator

Lease

16

R 25

N. M. P. M.

Wildcat

Field,

Eddy

County.

The well is 1993 feet (N.) (S.) of the North line and 2310 feet (W.) of the West line of Section 5

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. Assignment No.

If patented land the owner is T. E. Boggs

Address Roswell, New Mexico

If government land the permittee is

Address

The lessee is T. E. Boggs

Address Roswell, New Mexico

We propose to drill well with drilling equipment as follows: Spudder & Rotary.

The location of a sand for the well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows: One well bond. T. E. Boggs

We propose to use the following strings of casing and to land or cement them as indicated:

Size of Hole	Size of Casing	Weight Per Foot	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
13"	9 5/8"	35#	New	250	Cemented to top	50
10"	8"	24#	New	720	Circulated to top.	

If changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 800 feet.

Additional information: 8" will be circulated. If this proved impractical, 100 Sax will be run. Then the nipple will be perforated just above the Artesian water and cement will be circulated to the top.

Approved MAY 13 1948, 19\_\_\_\_  
except as follows:

Sincerely yours,

T. E. Boggs

Company or Operator

By

Position

Operator

Send communications regarding well to

Name Dr. T. E. Boggs

Address Roswell, New Mexico

OIL CONSERVATION COMMISSION,

By

Title

Artesia Representative

