

AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Old Well Deepened

Mail to District Office, Oil Conservation Commission, to which Form OCS-1 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

RECEIVED
FEB 28 1961
D. C. C.
DISTRICT OFFICE

Bogle Farms, Inc. (Company or Operator) Bogle Farms (Lease)

Well No. 1, in NE 1/4 of SE 1/4 of Sec. 15, T. 16S, R. 26E, NMPM.

Wildcat Pool, Lddy County.

Well is 1980 feet from south line and 600 feet from east line of Section 15. If State Land the Oil and Gas Lease No. is

Drilling Commenced Jan. 16, 1961 Drilling was Completed Feb. 25, 1961

Name of Drilling Contractor Johnson-Gadbois Drilling Co.

Address Fort Worth, Texas

Elevation above sea level at Top of Tubing Head 3334 KB The information given is to be kept confidential until , 19.

OIL SANDS OR ZONES

No. 1, from to No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
7"	20 & 23#	New	5507		2777		Intermediate

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
8-3/4	7"	5507	400			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Dry hole.

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 5506 feet to 7915 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		OIL CONSERVATION COMMISSION ARTESIA DISTRICT OFFICE		Northwestern New Mexico	
T. Anhy		T. Devonian		T. Ojo Alamo	
T. Salt		T. Silurian	5	T. Kirtland-Fruitland	
B. Salt		T. Montoya		T. Farmington	
T. Yates		T. Simpson		T. Pictured Cliffs	
T. 7 Rivers		T. McKee		T. Menefee	
T. Queen		T. Ellenburger	1	T. Point Lookout	
T. Grayburg		T. Gr. Wash		T. Mancos	
T. San Andres		T. Granite		T. Dakota	
T. Glorieta		T. Permian	2	T. Morrison	
T. Drinkard		T. Permian		T. Penn	
T. Tubbs		T. Permian		T. Penn	
T. Abo		T. Permian	1	T. Penn	
T. Penn 5994		T. Permian	1	T. Penn	
T. Miss		T. Permian		T. Penn	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
5500	7570	2064	lime and shale.				
7570	7580	10	sand.				DST #4, 7330-7425, open 45". Slight blow died in 5 min. Rec. 120' mud, no shows. 1 1/2 hr. ISIP - 370#, 1/2 hr. FSIP - 190. FP - 150#.
7580	7590	10	shale.				
7590	7600	10	sand.				DST #5, 7330-7515, open 45", slight blow, died in 10 min. Rec. 90' mud, no shows. 1 1/2 hr. ISIP - 175#, 1 hr. FSIP - 110#. FP - 45 to 85#.
7600	7915	315	lime and shale.				
			DST #1, 6215-90, open 45" sl. blow died in 10". Recov. 30' mud, no show. 30" ISIP - 115#, 15" FSIP - 100#, FP - 60 to 85#.				DST #6, 7546-96, open 1 hr. 50 min. GTS/2 min. Guaged 234 MCF per day gas. Surface pressure 22#. Rec. 100' G C mud. 1-3/4 hr. ISIP - 2900#. 2 hr. FSIP - 2750#. FP - 90#.
			DST #2, 6651-6725, open 1 1/2 hrs. Good blow. Rec. 100' mud, vy sl. OC. 20' ISIP-1470, 30" FSIP - 1555#, FP - 60 to 90#.				DST #7, 7623-7810, open 1 1/2 hrs. GTS/45 min. TSTM. Rec. 480' GC mud. 1 1/2 hr. ISIP - 2930#, 1 1/2 hr. FSIP - 1750#. FP - 225-250.
			DST #3, 6649-6770, open 3 hrs. GTS/15 min. Guaged 45 MCFPD. Rec. 350' M + 360" salt water. 1 1/2 hr. ISIP - 2580#, 2 hr. FSIP - 2445. FP - 145 to 360#.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

February 28, 1961

(Date)

Company or Operator Bogle Farms, Inc.

Address Dexter, New Mexico

Name Ralph L. Gray

Position or Title Consultant