


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New MexicoAREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

D. M. Bassett

Box 796, Artesia, New Mexico

Company or Operator

Address

Kappa

Well No. 1

in S4

of Sec. 19

T. 17N

Lease

R. 27E

N. M. P. M.

Baptist

Field,

Edley

County.

Well is _____ feet south of the North line and _____ feet west of the East line of _____

If State land the oil and gas lease is No. _____ Assignment No. _____

If patented land the owner is _____ Address _____

If Government land the permittee is _____ Address _____

The Lessee is _____ Address _____

Drilling commenced April 18th 1948 Drilling was completed June 21st 1948

Name of drilling contractor D. M. Bassett Address Artesia, New Mexico

Elevation above sea level at top of casing _____ feet.

The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 1820' to 1720' No. 4, from _____ to _____

No. 2, from _____ to _____ No. 5, from _____ to _____

No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 15' to 25' feet.

No. 2, from _____ to _____ feet.

No. 3, from _____ to _____ feet.

No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
10"				130'					
7"				1400					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
12"	10"	130'	40	Halliburton		
9"	7"	1400'	50	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____

Adapters — Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 1400 feet, and from _____ feet to _____ feet

Cable tools were used from 1400 feet to 1845 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing Dry hole _____, 19 _____

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

L. M. Dunham, Artesia, N. M., Driller _____, Driller _____

I. G. Warren, Sr. " " Driller _____, Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 19th _____ Artesia, New Mexico July 19th 1948

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
Top	4	4	Caliche
4	15	11	Red Shale
15	25	10	Water sand
25	150	125	Red Shale
150	178	28	Sandy Lime
178	240	62	Sand & Gyp
240	360	120	Sandy Lime & Shale
360	545	185	Shale, Red bed & Lime
545	699	154	Shale, Lime & Red bed
699	730	31	Broken Lime
730	890	160	Broken Lime & Shale
890	974	84	Lime, Shale & Gyp
974	1025	51	Lime
1025	1064	39	Lime
1064	1185	121	Lime
1185	1729	544	Grey Lime
1729	1728	1	Soft Grey Lime, Showing of oil
1728	1848	120	Grey Lime - Total Depth