


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

RECEIVED
OILS OFFICE

WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Earl Ployhar et al, Artesia, New Mexico
Company or Operator Address
Spurck Well No. 5 in SW NE SE of Sec. 24, T. 17 S
Lease
R. 27 E, N. M. P. M., Red Lake Field, Eddy County.
Well is 1650 feet North of the North line and 990 feet west of the East line of Section 24
If State land the oil and gas lease is No. 8318 Assignment No.
If patented land the owner is, Address
If Government land the permittee is, Address
The Lessee is William Spurck, Address Los Angeles, Calif
Drilling commenced May 13 19 42 Drilling was completed May 30 19 42
Name of drilling contractor Charley Harrell, Address Artesia, New Mexico
Elevation above sea level at top of casing feet.
The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from 456 to 465 No. 4, from to
No. 2, from 480 to 489 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 200 to 210 feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

| SIZE | WEIGHT PER FOOT | THREADS PER INCH | MAKE | AMOUNT | KIND OF SHOE | CUT & FILLED FROM | PERFORATED FROM TO | PURPOSE |
|-------|-----------------|------------------|----------|--------|--------------|-------------------|--------------------|---------|
| 7" OD | 20# | 10 | 2nd hand | 442' | Reg. Pat. | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 8" | 7" | 442' | | | | 20 bag mud |
| | | | | | | |
| | | | | | | |
| | | | | | | |

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

| SIZE | SHELL USED | EXPLOSIVE OR CHEMICAL USED | QUANTITY | DATE | DEPTH SHOT OR TREATED | DEPTH CLEANED OUT |
|------|------------|----------------------------|----------|------|-----------------------|-------------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from 0 feet to 525 feet, and from feet to feet

PRODUCTION

Put to producing, 19.
The production of the first 24 hours was dry hole barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas
Rock pressure, lbs. per sq. in.

EMPLOYEES

Charley Harrell, Driller
Clay Gade, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Artesia, N. M. June 1, 1942
Place DateSubscribed and sworn to before me this 1ST

day of June, 19 42

Charlie B. Glenn
Notary Public.

Name Henry F. Oliver

Position Partner

Representing Earl Ployhar et al

FORMATION RECORD

| FROM | TO | THICKNESS IN FEET | FORMATION |
|------|-----|----------------------|------------------|
| 0 | 4 | 4 | Soil |
| 4 | 15 | 11 | Caliche |
| 15 | 50 | 35 | Lime |
| 50 | 70 | 20 | Red Bed |
| 70 | 120 | 50 | Anhy & Red Bed |
| 120 | 150 | 30 | Anhy & Lime |
| 150 | 165 | 15 | Anhy & Lime |
| 165 | 200 | 35 | Red Bed |
| 200 | 210 | 10 | Red Sand |
| 210 | 230 | 20 | Red Bed & Anhy |
| 230 | 255 | 25 | Anhy & Lime |
| 255 | 325 | 70 | Anhy |
| 325 | 420 | 95 | Anhy & Lime |
| 420 | 430 | 10 | Anhy |
| 430 | 435 | 5 | Lime |
| 435 | 456 | 21 | Anhy |
| 456 | 465 | 9 | Brown Lime |
| 465 | 472 | 7 | Brown Lime |
| 472 | 480 | 8 | Anhy |
| 480 | 489 | 9 | Brown Lime |
| 489 | 500 | 11 | Sand |
| 500 | 505 | 5 | Anhy & gray lime |
| 505 | 515 | 10 | Grey Lime |
| 515 | 625 | 10 | Anhy |
| 525 | | | Total depth |