


NEW MEXICO OIL CONSERVATION COMMISSION


Santa Fe, New Mexico

WELL RECORD



AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.



Company or Operator E. L. Fulton Box 366, Carlsbad, New Mexico
State N.M. Well No. 2 in N.M. of Sec. 36, T. 17S
Lease 275, N. M. P. M., Red Lake Field, Doyle County.
Well is 330 N feet south of the North line and 1650 E feet west of the East line of Section
If State land the oil and gas lease is No. B-1183 Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is E. L. Fulton, Address Carlsbad, New Mexico
Drilling commenced October 7, 19 41 Drilling was completed December 10 19 41.
Name of drilling contractor E. L. Fulton, Address Carlsbad, New Mexico
Elevation above sea level at top of casing 3617 feet.
The information given is to be kept confidential until _____ 19 _____.

OIL SANDS OR ZONES

No. 1, from 320 to 330 No. 4, from 501 to 508
No. 2, from 425 to 430 No. 5, from 508 to 531
No. 3, from 491 to 497 No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 220 to 225 feet.
No. 2, from 330 to 345 feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
<u>5"</u>	<u>15</u>		<u>Used</u>	<u>485</u>	<u>(cemented)</u>			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>8</u>	<u>5"</u>	<u>485</u>	<u>20</u>	<u>Halliburton</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		<u>acid</u>	<u>1500 Gal</u>			
		<u>"</u>	<u>2000 Gal</u>			

Results of shooting or chemical treatment _____
Production increased materially

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing December 15, 19 41.
The production of the first 24 hours was 10 barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 11th day of January, 19 42
Stanley M. Long Notary Public.
Name E. L. Fulton
Position Owner
Representing _____
Company or Operator _____
My Commission expires _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	10		Red Beds
10	30		Red Beds & Shells
30	58		Red Beds & Gravel
58	100		Anhydrite & Shale
100	104		Shale
104	115		Anhydrite & Gyp
115	162		Anhydrite & Gyp
162	175		Anhydrite
175	220		Red Beds
220	225		Red Beds & Sand - SHOW WTR
225	248		Gyp & Anhydrite
248	258		Shale, blue
258	304		Anhydrite & Gyp
304	310		Red Beds
310	320		Gray lime
320	330		Sandy lime - SHOW OIL
330	348		Blue Shale - 330-345 WTR SAND
348	352		Red Shale
352	380		Anhydrite & Sandy lime
360	377		Anhydrite & Sandy lime
377	394		Lime
394	397		Anhydrite & hard lime
397	447		Anhydrite & lime - 425-430 RAINBOW OIL SHOW
447	465		Lime & Anhydrite
465	467		Sandy lime
467	476		Brown lime & Anhydrite
476	483		Blue Shale
483	491		Sandy lime
491	497		Brown lime - Oil
497	501		Brown lime
501	508		Brown lime - Oil
508	513		Brown lime - Gas & Oil
515	520		Brown lime - OIL
520	531		Brown lime - Oil