FORM C-105



AREA 640 ACRES LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

ι.,

Santa Fe, New Mexico

.

4

WELL RECORD

_

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

	J. P.	. Bedingfi	eld			Box \$63,	Artesia	. New M	etteo
* o	ray State	alpuny or Opers		2	in 255 110	of Sec	Address 36		17
R2 Well_is If_State_l	1650 reet	. M. P. M south of the id gas lease is	Fe North lin	e and	Field,				County.
If patent	ed land the ov	vner is				, Address			
If Gover	nment land th	ae permitt e e is	\$ -			, Address	······		
The Less	see is					, Address			
Drilling	commenced	May	21	19	8 Drilling	was completed	Augu	ut 25	<u>19</u> <u>48</u>
Name of	drilling conti	ractor				Address			
Elevation	n above sea le	vel at top of c	using		feet.				
The info	mation given	is to be kept c	onfidenti	al until	····			19	
No. 1, fro	No. 1, from 451 455		5	DS OR ZON	to	to 488			
No. 2, fro	om17	to_		-	No. 5, fr	om	to	47	4
No. 3, fro)m	toto_	47	0	No. 6, fr	om	to		. <u></u>
No. 1, fr No. 2, fr No. 3, fr	om		and ele	vation to w .to	130	ose in hole. fee fee fee	ət		<u></u>
SIZE	WÉIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	COT & FILLED FROM	PERF	RATED	PURPOSE
7	20	10		1501 2"	011 ¥e]		FROM	то	
						-			
	<u> </u>								
			· · · · · · · · · · · · · · · · · · ·						

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING		NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	7*	1501 2"	70		·····	70 Sacks Mud & Cempt

e 1

		1	PLUGS AND AI	DAPTERS			
leaving p	olug—Material	<u></u>	Length		Depth Se	ət	
Adapters	–MateriaL		Size				
		RECORD OF SH	OOTING OR C	HEMICAL	FREATMENT		
SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEA	NED OUT
None							
tesults of	shooting or che	mical treatment					
f drill-ste	m or other speci	RECORD OF al tests or deviation	DRULL-STEM . surveys were n TOOLS US	nade, submit		sheet and attac	ch hereto.
lotary to	ols were used fr	omfee	t to	feet, and	from	feet to	feət
-		omfee					
The produ emulsion;	oducing	24 hours was water; and	% sedime	rrels of fluid nt. Gravity,	Be		
Rock pres	sure, lbs. per 3q.	in					
			EMPLOY	RES			
							Driller
			, Driller				Driller
		FORMAT	NON RECORD		SIDE		-,
		that the information can be determined f			ete and correct re	cord of the we	ll and all
Cubonilia	d and success to b	•	loth	Artesi	a, New Merico	Augus	t 30, 19
	d and sworn to b Au	just	48	Place Name	nod	Date	1 j
day of	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~			175-	V		- CEL

FORMATION RECORD

FROM	то	THICKNESS IN FEET	FORMATION
0 75 125 130 200 325 375 100 119 155 160 165 176 180 185 188 191	75 125 130 200 300 325 375 400 441 455 460 465 465 465 465 465 465 465 465 465 465	75 50 50 100 25 30 25 30 25 30 25 30 25 30 25 30 25 30 50 25 30 50 25 30 50 25 30 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 50 25 25 25 25 25 25 25 25 25 25 25 25 25	Red Red Broken Water Anhydrite Broken Amhydrite Blue Shale Red Bed Anhydrite (Set Pipe) Anhydrite (Set Pipe) Anhydrite Broken Brown Lime Blue Shale Brown Lime Anhydrite Brown Lime Anhydrite Brown Lime Anhydrite
			•
			·

. .