


RECEIVED
AUG 6 1949Oil Cons. Comm.
Artesia OfficeNEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New MexicoAREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

J. E. BEDINGFIELD Box 563, Artesia, New Mexico
Company or Operator Address
Delhi Well No. 4 in SE 1/4 of Sec. 36, T. 17, R. 27
Lease
R. 27, N. M. P. M., Empire Field, Eddy County.
Well is 1700 feet North of the North line and 990 feet East of the East line of Sec. 36, T. 17, R. 27.
If State land the oil and gas lease is No. B-11538 Assignment No.
If patented land the owner is Address
If Government land the permittee is Address
The Lessee is Address
Drilling commenced July 11 1949 Drilling was completed August 2 1949
Name of drilling contractor J. E. Bedingfield Address Artesia, New Mexico
Elevation above sea level at top of casing feet.
The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from 465 to 477 No. 4, from to
No. 2, from 486 to 491 No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 260 to 280 feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
7"	24 lb.	10		455	Regular		None		

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
8"	7"	456'	30	Halliburton		40 sacks

None PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters — Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		Acid	2000 Gas.	8-3-49	465 to 491	

Tested 40 bbls.

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 492 feet, and from feet to feet
Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing August 3 1949 100
The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be.
If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas.
Rock pressure, lbs. per sq. in.

EMPLOYEES

J. E. Bedingfield Driller Jess Talley Driller
Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 5th August 1949 Artesia, New Mexico August 5, 1949
day of August 1949 Name J. E. Bedingfield Owner

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
170	170	170	Red Bed and Typ.
170	260	90	Red Bed
260	325	65	" and Typ (Too much water to carry - from 260 to 280)
325	456	131	Broken Anhydrite
456	456	9	Anhydrite
465	477	12	Brown lime & Anhydrite (Breaks little oil in brown lime)
477	486	9	Blue shale & anhydrite shells
486	491	5	Brown lime, more oil
491	492	1	Anhydrite
492			Total Depth