

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL

Notice must be given to the Oil Conservation Commission or its proper agent and approval obtained before drilling begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in triplicate. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

Artesia, New Mexico

June 28, 1950

Place

Date

OIL CONSERVATION COMMISSION,  
Santa Fe, New Mexico,

Gentlemen:

You are hereby notified that it is our intention to commence the drilling of a well to be known as

S &amp; A Oil Company

Gates-State

Well No. 1

in

Company or Operator

Lease

of Sec. 36, T 17S, R 27E, N. M., P. M., Empire Field, Eddy County.

N

The well is 1650 feet (N) (S.) of the E line and 330 feet  
(E) (W.) of the E line of Sec. 36-17-27

(Give location from section or other legal subdivision lines. Cross out wrong directions.)

If state land the oil and gas lease is No. E-10992 Assignment No.

If patented land the owner is

Address

If government land the permittee is

Address

The lessee is

Address

AREA 640 ACRES

LOCATE WELL CORRECTLY

We propose to drill well with drilling equipment as follows:

Drill with Cable tools to approximately 550'

The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the Commission is as follows:

We propose to use the following strings of casing and to land or cement them as indicated:

| Size of Hole | Size of Casing | Weight Per Foot | New or Second Hand | Depth | Landed or Cemented | Sacks Cement |
|--------------|----------------|-----------------|--------------------|-------|--------------------|--------------|
| 8 3/4        | 8 5/8          | 28#             | SH                 | 360   | Water string       |              |
|              | 7 OD           | 28#             | SH                 | 520   | Cemented           | 50 sacks     |

changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that first productive oil or gas sand should occur at a depth of about 530' feet.

Additional information:

JUL 29 1950

oved \_\_\_\_\_, 19\_\_\_\_  
except as follows:

Sincerely yours,

S &amp; A Oil Co.

Company or Operator

By

Position

Agent

Send communications regarding well to

Name S & A Oil Co.

Address Box 96, Artesia, N.M.

OIL CONSERVATION COMMISSION,

OIL AND GAS INSPECTOR



*file*

S & A Oil Co.,  
Company *e/o* David C Saldaña


Lease Gates-State Well No. 1  
Sec. 36 T. 17 S., R. 27 E., N.M.P.M.

Location 1650' fr NL & 330' fr EL (NE-SE-NE) T17S-R27 & 28E

County Eddy

New Mexico

Chained Distances



1 30  
36 31

1 31  
36 31

Scale 4" = 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:   
Registered Professional Engineer and Land Surveyor.

Artesia, New Mexico

Surveyed June 27, 19 29

16511 Advocate Print

74


Company David C. Smith  
S & A Oil Co.

Lease \_\_\_\_\_  
 Sec. 36 T. 17 S. R. 24 E. N.M.P.M.  
 Location 1650' 11' N. 330' 11' W. (NE-33-W6)  
 County \_\_\_\_\_  
 State \_\_\_\_\_  
 New Mexico

178-R27 & 284

36 31  
 1 30

Chained Distances



Scale 4" = 1 mile

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

*[Signature]*  
 Registered Professional  
 Engineer and Land Surveyor

Artesia, New Mexico

Surveyed June 27, 1950  
 16511 Advocate Print

S & F Oil Company 36-17-27  
(OPERATOR) (STR)

Gates State # 1  
(LEASE) (WELL NO.)

FORM

DATE APPROVED

C-101. . . .Depth 530' July 29, 1950  
C-102. . . .Test casing. \_\_\_\_\_  
C-102. . . .Repair well \_\_\_\_\_  
C-102. . . .Deepen well \_\_\_\_\_  
C-102. . . .Shoot \_\_\_\_\_  
C-102. . . .Treat \_\_\_\_\_  
  
C-103. . . .Begin Drilling \_\_\_\_\_  
C-103. . . .Shoot \_\_\_\_\_  
C-103. . . .Treat \_\_\_\_\_  
C-103. . . .Test Casing \_\_\_\_\_  
C-103. . . .Deepen \_\_\_\_\_  
C-105. . . . \_\_\_\_\_  
C-110. . . . \_\_\_\_\_

(117)

(118)

(119)

(120)

(121)

(122)

(123)

(124)

(125)

(126)

(127)

(128)

(129)

(130)

(131)

(132)

(133)

(134)

(135)