

N

NEW MEXICO OIL CONSERVATION COMMISSION


Santa Fe, New Mexico

17 1949

Oil Cons. Com.

Artesia Oil

WELL RECORD

AREA 100 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

J. E. Bedingfield

Box 563, Artesia, New Mexico

Company or Operator
Conklin State Well No. **2** in **SW of NE** of Sec. **36**, T. **17**
Lease
R. **27**, N. M. P. M. **Empire** Field, **Eddy** County.
Well is **1830** feet south of the North line and **2205** feet west of the East line of **Sec. 36, T 17, R 27**.
If State land the oil and gas lease is No. **E-1059** Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced **Feb. 8** 19 **49** Drilling was completed **Mar. 6** 19 **49**
Name of drilling contractor **J. E. Bedingfield** Address **Box 563, Artesia, N. M.**
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until **none** 19 ____.

OIL SANDS OR ZONES

No. 1, from **502** to **507** No. 4, from _____ to _____
No. 2, from **511** to **512** No. 5, from _____ to _____
No. 3, from **522** to **529** No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from **265** to **310** feet. _____
No. 2, from _____ to _____ feet. _____
No. 3, from _____ to _____ feet. _____
No. 4, from _____ to _____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
7"	20 lb.	10		499' 5"					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
7"	7"	499' 5"	25	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material **none** Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
	none	Acid	2,000	3-7-49	from 499' 5"	532
			Gals.		to 532	

Results of shooting or chemical treatment
in crease, 8 bbls.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to **532** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **3-8** 19 **49**
The production of the first 24 hours was **10 bbls** barrels of fluid of which **100** % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Harry Hubbard Driller _____ Driller _____
Driller _____ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the _____ and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **16th** **Artesia, New Mexico** **3-16-49**
day of **March** 19 **49** Name **J. E. Bedingfield**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	25	25	Clay and gyp
25	110	85	Red rock and gyp
110	140	30	Red rock and anhydrite
140	225	85	Broken formation
225	310	85	Red shale and anhydrite shells (Hole full of water)
310	328	18	Anhydrite and red shale
328	410	82	Anhydrite " "
410	500	90	Broken anhydrite
500	502	2	Brown lime
502	507	5	Brown lime
507	511	4	Anhydrite
511	514	3	Brown lime
514	519	5	Blue shale
519	522	3	Anhydrite
522	529	7	Brown lime
529	532	3	Anhydrite
			Total Depth