


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Burnham Oil Company Box 231 Artesia, New Mexico
Company or Operator Address
State 1 B Well No. 1 B in SW NW NE of Sec. 36, T. 17 South
N. 27 East, N. M. P. M. Red Lake Field, Eddy County.
Well is 990 feet south of the North line and 2300 feet west of the East line of Section 36
If State land the oil and gas lease is No. E -379 Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is Burnham Oil Company Address Artesia, New Mexico
Drilling commenced January 24, 1948 Drilling was completed March 29, 1948
Name of drilling contractor Company tools Address _____
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 1690' to 1740' No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
<u>7"</u>	<u>20</u>	<u>8</u>	<u>S.H.</u>	<u>1415'</u>	<u>Texas Pattern</u>				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>9</u>	<u>7"</u>	<u>1415'</u>	<u>50</u>	<u>Halliburton</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		<u>Glycerin</u>	<u>160 qts.</u>	<u>3-20-48</u>	<u>1690'-1740'</u>	<u>1744'</u>

Results of shooting or chemical treatment Increased production from 25 to 75 barrels per day.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 1744 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing March 29, 1948
The production of the first 24 hours was 75 barrels of fluid of which 100 % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller
_____, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 29thday of March 19 48Robert H. Hall
Notary PublicMy Commission expires March 6, 1951Artesia, New Mexico March 29, 1948

Place Date

Name Elana CorganPosition Acting Sec. & Treas.Representing Burnham Oil Company

Company or Operator

Address Box 231 Artesia, New Mexico

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20		Sand
20	105		Gyp & Red Shale
105	205		Anhydrite
205	208		Red Bed
208	225		Anhydrite
225	380		Red Bed
380	760		Anhydrite
760	795		Red Shale
795	805		Red Bed
805	840		Anhydrite
840	1350		Red Bed
1350	1426		Anhydrite
1426	1474		Lime & streaks Red Bed
1474	1481		Anhydrite
1481	1702		Lime Show Oil & Gas
1702	1744 T.D.		Brown Lime