

A 10x10 grid with an 'X' in the second column and third row.

LOCATE WELL CORRECTLY

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

AUG 20 1954

LOG OF OIL OR GAS WELL

Company Kincaid & Watson Address Box 536, Artesia, New Mexico
 Lessor or Tract Gibson Federal Field Wildcat State New Mexico
 Well No. 1 Sec. 13 T.16S R.28E Meridian N.M.P.M. County Eddy
 Location 1806 ft. ~~XXX~~ S. of N. Line and 834 ft. ~~XX~~ E. of N. Line of Sec. 13-16-28 Elevation 3584
 (Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed _____

Date August 15, 1959 Title Agent

The summary on this page is for the condition of the well at above date.

Commenced drilling 5-13, 1959 Finished drilling 6-11, 1959

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 1930 to 1942 G No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from 135 to 150 No. 3, from 1235 to 1245
No. 2, from 335 to 355 No. 4, from _____ to _____

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

[illegible]

PLUGS AND ADAPTERS

Heaving plug—Material ----- Length ----- Depth set -----
Adapters—Material ----- Size -----

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

-----August 15, 1959-----, 19-----

The production for the first 24 hours was ----- barrels of fluid of which -----% was oil; -----% emulsion; -----% water; and -----% sediment. Gravity, °Bé. -----

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

----- Earl Wright -----, Driller	----- Luther Kile -----, Driller
----- Luther Greene -----, Driller	-----, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
0	20	20	Gelliche
20	35	15	Sand
35	60	25	Shale & shells
60	80	20	Anhydrite
80	115	35	Shale & shells
115	185	70	Red shale
185	204	19	Red rock
204	215	11	Anhydrite
215	223	8	Shale
223	300	77	Anhydrite
300	335	35	Anhydrite & gyp
335	355	20	Red rock
355	395	40	Anhydrite
395	430	35	Anhydrite & blue & red shale
430	470	40	Anhydrite
470	490	20	Anhydrite & red shale
490	535	45	Red rock
535	565	30	Anhydrite & shale
565	595	30	Broken anhydrite
595	710	115	Anhydrite
710	750	40	Broken anhydrite
750	1034	284	Anhydrite
1034	1044	10	Sandy red shale
1044	1100	56	Broken anhydrite
1100	1140	40	Anhydrite

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

HISTORY OF OIL OR GAS WELL

10-43094-2 U. S. GOVERNMENT PRINTING OFFICE

FROM-	TO-	TOTAL FEET	FORMATION
1140	1175	35	Broken anhydrite
1175	1215	40	Anhydrite
1215	1225	10	Sandy lime
1225	1245	20	Sand
1245	1260	15	Anhydrite
1260	1275	15	Anhydrite & shale
1275	1293	18	Anhydrite
1293	1735	442	Lime
1735	1765	30	Lime & shale
1765	1785	20	Lime
1785	1790	5	Broken lime
1790	1925	135	Broken anhydrite
1925	1930	5	Sandy anhydrite
1930	1942	12	Gas sand
1942	1962	20	Broken anhydrite
1962	2120	158	Lime