

AREA 640 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?) **SUBMIT IN TRIPLICATE**

WELL RECORD

F. G. Keyes Red Gulch Box 936, Roswell, New Mexico
Company or Operator Address
State _____ Well No. 4 in NE SE of Sec. 4, T. 17s
Lease
R. 29, N. M. P. M., Artesia Field, Eddy County.
Well is 300 feet south of the North line and 660 feet west of the East line of Section 4
If State land the oil and gas lease is No. 2029 Assignment No. 13
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is F. G. Keyes, Address Roswell, New Mexico
Drilling commenced 9-16-39 19 _____ Drilling was completed 1-17-40 19 _____
Name of drilling contractor F. G. Keyes tools, Address _____
Elevation above sea level at top of casing 3521 feet.
The information given is to be kept confidential until now 19 _____

OIL SANDS OR ZONES

No. 1, from 1365 to 1376 show gas No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from	15	to	18 salt water	feet.
No. 2, from	1104	to	1117 salt water	feet.
No. 3, from		to		feet.
No. 4, from		to		feet.

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

[illegible]

PLUGS AND ADAPTERS

Heaving plug--Material_____Length_____Depth Set_____

Adapters--Material_____Size_____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment_____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Cable tools were used from top feet to bottom feet, and from _____ feet to _____ feet.

PRODUCTION

Put to producing Dry hole, plugged and abandoned

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

F. B. Hammond, Driller _____, Driller
C. G. Keyes, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 8th
day of February 1940,
SEAL Marie Baldy
Notary Public

My Commission expires July 3, 1941

Roswell, New Mexico
Place Date
Name F. G. Keyes
Position Owner
Representing _____
Company or Operator
Address Roswell

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
surface	15	15	Red beds
15	18	3	Sand & gravel salt water
18	235	217	Red beds and gyp
235	270	35	Anhydrite
270	518	138	Lime and anhydrite
518	525	7	Blue shale
525	565	40	Anhydrite and brown shale
565	640	75	Lime and anhydrite
640	645	5	Rainbow of oil
645	820	175	Lime and anhydrite
820	882	62	Anhydrite
882	912	30	Anhydrite and brown shale
912	1050	138	Anhydrite
1050	1063	13	Lime and anhydrite
1063	1104	41	Anhydrite and brown shale
1104	1117	13	Red sand salt water
1117	1150	33	Anhydrite and brown shale
1150	1161	11	Lime
1161	1203	42	Anhydrite and brown shale
1203	1220	17	Lime
1220	1260	40	Anhydrite
1260	1283	23	Lime
1283	1342	59	Anhydrite and brown shale
1342	1365	23	Lime sandy
1365	1376	11	Sand show of gas
1376	1425	49	Anhydrite and brown shale
1425	1487	62	Lime and brown shale
1487	1544	57	Anhydrite and brown shale
1544	1570	26	Anhydrite
1570	1699	129	Lime
1699	1710	11	Sand
1710	1743	33	Lime
1743	1756	13	Sand
1756	1822	66	Anhydrite and brown shale
1822	1863	41	Lime grey
1863	1876	13	Sand
1876	1894	18	Lime and brown shale
1894	1904	10	Sand, red $\frac{1}{4}$ bailer salt water
1904	1913	9	Lime grey and brown shale
1913	1916	3	Lime white
1916	1930	14	Lime grey
1930 TD			