
	-		**	
NO. OF COPIES RECEIVED				Form C-103
DISTRIBUTION		RECEIVED		Supers edes Old C-102 and C-103
SANTA FE	NEW MEXICO	OIL CONSERVATION COMMIS	SION	Effective 1-1-65
FILE /		FEB 1 4 1979	Г	5a. Indicate Type of Lease
U.S.G.S.		125 14 1013		State X Fee.
LAND OFFICE		O. G. A.	-	5. State Oil & Gas Lease No.
OPERATOR /		ARTESIA. OPPER	į	L-422
		20276 011 WELL 6		
SI (DO NOT USE THIS FORM !	JNDRY NOTICES AND REP	PORTS ON WELLS PEN OR PLUG BACK TO A DIFFERENT RE 101) FOR SUCH PROPOSALS.)	ESERVOIR.	
	PLICATION FOR PERMIT (FORM C-	(101) FOR SUCH PROPERTY		7. Unit Agreement Name
I. OIL X GAS WELL X	OTHER.	-		
2. Name of Operator				8. Farm or Lease Name
Collier & Collie	r			Hawk State
3, Address of Operator				9. Well 140.
P.O. Box 798, Ar	tesia, New Mexico 8	8210		#1
4. Location of Well				In. Field and Pool, or Wildcat West Cave San Andres
J	1980 FEET FROM THE .	South LINE AND 1980	FEET FROM	West cave pair Midtes
THE East LINE	, SECTION TOWNSH	17S RANGE 28F	1 NMPM.	
		Show whether DF, RT, GR, etc.)		12. County
	DF 36			Eddy
NOTICE	heck Appropriate Box To OF INTENTION TO:	Indicate Nature of Notice, ABANDON X REMEDIAL WORK COMMENCE ORILLING	SUBSEQUENT	er Data REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [
NOTICE	heck Appropriate Box To OF INTENTION TO:	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE	SUBSEQUENT	REPORT OF:
PERFORM REMEDIAL WORK TEMPORARILY ABANDON	heck Appropriate Box To OF INTENTION TO: PLUG AND	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE	SUBSEQUENT	REPORT OF:
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING	heck Appropriate Box To OF INTENTION TO: PLUG AND A	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE OTHER	SUBSEQUENT OPNS. MENT JQB	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Leted Operations (Clearly state all TD 2460 13, 1979 2" was never run in,	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE OTHER	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7° 13636	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any proposed in the content of
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2	heck Appropriate Box To OF INTENTION TO: PLUG AND CHANGE PL Reted Operations (Clearly state all TD 2460	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE OTHER 1 pertinent details, and give pertine 7 " 300 - 100	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7° 13636	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any proposed in the content of
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will proce	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Leted Operations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows:	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7 2 300 - 100 as had been planned	SUBSEQUENT COPNS. EMENT JQB ent dates, including 7. 13636 in July 1978	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2492 , and plugging
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will process	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL CHANGE PL 2460 13, 1979 2" was never run in, eed as follows: Will load hole with n	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE OTHER 1 pertinent details, and give pertine 7 " 300 - 100" as had been planned and and spot with 25	SUBSEQUENT i OPNS. EMENT JQB ent dates, including 7 2 / 363 2 in July 1978 Sxs. from 23	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will proce	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL CHANGE PL 13, 1979 2" was never run in, eed as follows: Will load hole with n Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE OTHER 1 pertinent details, and give pertine 7 - 300 - 100 as had been planned and and spot with 25 and 1300' to 1400' & to	EMENT JAB ent dates, including 7°. /3636 in July 1978 Sxs. from 23 ag.	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Compwork) SEE RULE 1103. February 4 1/2 will process 1. V 2. S 3. S 4.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Compwork) SEE RULE 1103. February 4 1/2 will process 1. V 2. S 3. S 4.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Compwork) SEE RULE 1103. February 4 1/2 will process 1. V 2. S 3. S 4.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE DRILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7"-300-100 as had been planned and and spot with 25 om 1300' to 1400' & to 0m 650' to 750' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propo. 2 472 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will process 1. 1/2 2. 3 3. 4 4. 5 5.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Compwork) SEE RULE 1103. February 4 1/2 will proced 1. 1/2 2. 3 3. 4 4. 5 5.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will process 1. 1/2 2. 3 3. 4 4. 5 5.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will process 1. 1/2 2. 2. 3. 4. 5. 5.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will proce	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Comp work) SEE RULE 1103. February 4 1/2 will process 1. 1/2 2. 3 3. 4 4. 5 5.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Compwork) SEE RULE 1103. February 4 1/2 will proced 1. 1/2 2. 3 3. 4 4. 5 5.	heck Appropriate Box To OF INTENTION TO: PLUG AND A CHANGE PL Interpretations (Clearly state all TD 2460 13, 1979 2" was never run in, eed as follows: Will load hole with no Spot with 35 Sxs. fro	ABANDON X REMEDIAL WORK COMMENCE ORILLING CASING TEST AND CE OTHER Pertinent details, and give pertine 7" 300 - 100 as had been planned and and spot with 25 om 1300' to 1400' & to om 650' to 750' & tag om 250' to 350' & tag	SUBSEQUENT OPNS. EMENT JQB ent dates, including 7. /3636 in July 1978 Sxs. from 23 ag. & salt .	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT [estimated date of starting any propos 2 492 , and plugging 50' to 2450' & tag.

Notify N.M.O.C.C. in sufficient time to witness

DATE February 13, 1979

FEB 1 5 1979







Job separation sheet

NO. OF COPIES PECTIVES		Sup	m C+103 iersedes Old 102 and C+103	
DISTRIBUTION 7	NEW MEXICO OIL CONSERVATION COMMISSION		ective 1-1-65	
ANTA PE		Cen In C	icute Type of Lease	
11.1.	1	and the second s	C	. []
AND OFFICE		S. Stat	e Cil & Gas Leave No.	
PERATOR		(273 L422	·	wewerner
	DUDOUTE COLUCT C			
100 NOT USE THIS FORM 31 CAN ACTE	DRY NOTICES AND DEPORTS ON WELLS	80 In . 34 7. Uni	L Agreement Forme	
Name of Chestolet	OTHER. RE ENTRY		m or Louve Name	
COLLIER & COLLIE	R /	9. Wel	IAWK ST	
Address of Operator	NEW MENTO 00010		#1	
	, NEW MEXICO 88210		eld and Pool, or Valders	
, Legation of Well J UNIT LETTER	1980 SOUTH LINE AND 19	180 FEET FROM WI	EST CAVE SAN AND	RES
EAST LINE, 5	12 TOWNSHIP 17 RINGE 28	KMPM.		
marrell to the state of the sta	15. Elevetton (Show whether DF, RT, GR, etc.)	12. Co		
	DF 3680	EDI		77777
William Cha	ek Appropriate Box To Indicate Nature of Notice, Re	eport or Other Da	nta	
Unc.	FINTENTION TO:	JBSEQUENT REP	ORT OF:	
NOTIO	·		ALTERING CASING	
PERFORM REMEDIAL WORK	PLUG FRO ABANDON REMEDIAL WORK	ıs. 🗍	PLUG AND ABANDONM	CRT .
TEMPERARILY ABANDON	C VICENTIA NO CENTRE	1 apt 7		· 18
PULL OR ALTER CASING	OTHER NO	ness upor	X	1.\
OTHER To run Cog				
- Co-wlot	ed Operations (Clearly state all pertinent details, and give pertinent d	ates, including estima	ted date of starting any l	hiobozec
work) SEE RULE 1103.	S. C.			
MARCH 13, 1977	DRILLED OUT BOTTOM OF 7" WITH 6½" BIT			
	CLEANED OUT PLUGS AND JUNK TO TD APPROX 2460	C		:
JULY 1 1977				
Ran	tubing and rods palced well on pump. ped 100 brls h2o per day, skim of oil			
				Na Na
NOVEMBER 31.197				
KEM	OVED PUMPING UNIT PULLED RODS AND PUMP			
JUNE 1, 1978	LED TUBING			
2.023				
JULY 15,1978 PLA	N TO RUN 4½" CASING TO 2460 . SET WITH 150 S	XS CLASS "C".		
PER	F. FROM APPROX 2430 to 2450 attempt frac.			
		icf.		
18. I hereby certify that the inform	notion that exacting and complete to the best of my knowledge and bel		1 /	1
Tin TITA	PARTNER		DETE JUNG 6	0
LICHTO MOULY	W. Come Time	entervision established as the test test as	and francisco es a seculia e sun	
1.1 1	SUPERVISOR, DISTR	TCT II	DATE	8
APEROVED BY WOLL	X Control of the cont			
COMDITIONS OF APPROVAL, I	/ ANYI			