


NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

S. & A. Oil Company

P. O. Box 96, Artesia, New Mexico

S. P. Yates

Company or Operator

Well No.

2

in NE/NE/SW

of Sec.

16

T. 17

Lease

R. 28

N. M. P. M.

Empire

Field,

E

Eddy

County.

Well is 990

feet south of the North line and

2310

feet west of the East line of

16-17-32

If State land the oil and gas lease is No. B05617

Assignment No.

If patented land the owner is

Address

If Government land the permittee is

Address

The Lessee is

Address

Drilling commenced 1-9-

19 51

Drilling was completed 2-23

19 51

Name of drilling contractor P. A. Hancox

Address

Artesia, New Mexico

Elevation above sea level at top of casing feet.

The information given is to be kept confidential until

19

OIL SANDS OR ZONES

No. 1, from 663

to 670

No. 4, from

to

No. 2, from

to

No. 5, from

to

No. 3, from

to

No. 6, from

to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 160

to 165

feet.

Hole full

No. 2, from 697

to 700

feet.

3 bbl.s per hr.

No. 3, from

to

feet.

No. 4, from

to

feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
8 5/8	20#	8	SH	405'	TP				Shut off water
7"	17#	8	SH	658'					oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
10"	8 5/8	405				5 Sax acquagel
8 5/8	7"	658'	5 sax			

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters — Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to feet, and from feet to feet

Cable tools were used from 0 feet to 700 feet, and from feet to feet

PRODUCTION

Put to producing 19

The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

P. A. Hancox Driller Driller

Billy Courtney Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 5th day of March, 1952

Notary Public

My Commission expires 9-25-1959

Artesia, New Mexico

Place

2-27-51

Date

Name David C. Saitan, by E. O'Donnell

Position Partner

Representing S. M. A. Oil Company

Company or Operator

Address P. O. Box 96, Artesia, New Me