

|                 |  |          |      |     |         |    |            |        |          |  |
|-----------------|--|----------|------|-----|---------|----|------------|--------|----------|--|
| STATE           |  | COUNTY   | ELEV | ION | DESC BY |    | COMPANY    |        |          |  |
|                 |  |          |      |     | Sheldon |    | S.P. Yates |        |          |  |
| KIND OF SAMPLES |  | LOCATION |      |     | S       | T  | R          | FARM   | WELL NO. |  |
|                 |  |          |      |     | 16      | 17 | 28         | Stab F | 1        |  |

|         |      |      |             |      |           |       |      |      |      |      |      |               |     |       |
|---------|------|------|-------------|------|-----------|-------|------|------|------|------|------|---------------|-----|-------|
| DEPTH   | DOLO | LIME | DESCRIPTION | SALT | ANHY      | SHALE |      |      |      | SAND |      |               | CHT | NOTES |
|         | %    | %    |             | %    | %         | RED   | GRY. | GRN. | BLK. | RED  | GRY. | DESCRIPTION   | %   |       |
| 0-50    |      |      | gravel      |      |           |       |      |      |      |      |      |               |     |       |
| 50-65   | 100  |      | buff f.x.   |      |           |       |      |      |      |      |      |               |     |       |
| 65-86   |      |      |             |      |           |       |      |      |      | 100  |      | fine red sand |     |       |
| 86-95   |      |      |             |      | 20 gyp.   |       |      |      |      | 80   | ✓    | ✓             | ✓   |       |
| 95-100  |      |      |             |      | 100 ✓     |       |      |      |      |      |      |               |     |       |
| 100-04  |      |      |             |      | 100 ✓     |       |      |      |      |      |      |               |     |       |
| 104-240 |      |      |             |      | 100 gyp   |       |      |      |      |      |      |               |     |       |
| 240-68  |      |      |             |      | 100 solid |       |      |      |      |      |      |               |     |       |
| 268-78  |      |      |             |      | 90 10 ✓   |       |      |      |      |      |      |               |     |       |
| 278-315 |      |      |             |      | 100       |       |      |      |      |      |      |               |     |       |
| 315-28  | 10   |      | buff        |      | 80        |       |      |      |      |      |      |               |     |       |
| 328-35  |      |      |             |      | 100       |       |      |      |      |      |      |               |     |       |
| 335-38  | 30   |      | buff porous |      | 70        |       |      |      |      |      |      |               |     |       |
| 338-42  | 10   |      | buff f.x.   |      | 70        |       |      |      |      |      |      |               |     |       |
| 342-45  | 50   |      | buff porous |      | 50        |       |      |      |      |      |      |               |     |       |
| 345-50  | 90   |      | ✓ granular  |      | 10        |       |      |      |      |      |      |               |     |       |
| 350-60  | 10   |      |             |      | 70        |       |      |      |      |      |      |               |     |       |
| 360-69  |      |      |             |      | 100       |       |      |      |      |      |      |               |     |       |
| 369-76  |      |      |             |      | 90        |       |      |      |      | 10   |      | f.g.g.        |     |       |
| 376-81  |      |      |             |      | 100       |       |      |      |      |      |      |               |     |       |
| 381-85  | 30   |      | granular    |      | 70        |       |      |      |      |      |      |               |     |       |
| 385-95  |      |      |             |      | 60        |       |      |      |      | 40   |      | ✓             | ✓   |       |
| 395-400 |      |      |             |      | 10        |       |      |      |      | 90   |      |               |     |       |
| 400-25  |      |      |             |      |           |       |      |      |      | 100  |      |               |     |       |
| 425-48  |      | x    |             |      | 100       |       |      |      |      |      |      |               |     |       |
| 448-55  |      |      |             |      |           | 100   |      |      |      |      |      |               |     |       |
| 455-65  |      |      |             |      | 90        |       |      |      |      | 10   |      |               |     |       |
| 465-68  | 10   |      | buff        |      | 80        |       |      |      |      | 10   |      |               |     |       |
| 468-73  |      |      |             |      | 100       |       |      |      |      |      |      |               |     |       |
| 473-77  |      |      |             |      | 80 10     |       |      |      |      | 10   |      |               |     |       |
| 477-80  |      |      |             |      | 100       |       |      |      |      |      |      |               |     |       |

1094 Advocate Print



|                 |          |                 |                    |                        |
|-----------------|----------|-----------------|--------------------|------------------------|
| STATE           | COUNTY   | ELI ION<br>3583 | DESC BY<br>Sheldon | COMPANY<br>S. R. Yates |
| KIND OF SAMPLES | LOCATION | S<br>16         | T<br>17            | R<br>28                |
|                 |          | FARM            | Stab F             | WELL NO.<br>1          |

| DEPTH  | DOLO LIME |   | DESCRIPTION | SALT ANHY |     | SHALE |      |      |      | SAND |      |                      | CHT<br>% | NOTES |
|--------|-----------|---|-------------|-----------|-----|-------|------|------|------|------|------|----------------------|----------|-------|
|        | %         | % |             | %         | %   | RED   | GRY. | GRN. | BLK. | RED  | GRY. | DESCRIPTION          |          |       |
| 480-85 |           |   |             |           | 20  |       |      |      |      | 80   |      |                      |          |       |
| 485-00 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 500-08 |           |   |             |           | 95  | 5     |      |      |      |      |      |                      |          |       |
| 508-10 |           |   |             |           | 40  |       |      |      |      | 60   |      |                      |          |       |
| 510-12 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 512-15 |           |   |             |           | 80  |       |      |      |      | 20   |      |                      |          |       |
| 515-20 |           |   |             |           | 20  |       |      |      |      | 80   |      |                      |          |       |
| 520-36 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 535-40 |           |   |             |           | 80  | 20    |      |      |      |      |      |                      |          |       |
| 540-60 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 560-63 |           |   |             |           | 95  | 5     |      |      |      |      |      |                      |          |       |
| 563-70 |           |   |             |           | 80  | 20    |      |      |      |      |      |                      |          |       |
| 570-77 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 577-86 |           |   |             |           | 95  | 5     |      |      |      |      |      |                      |          |       |
| 586-90 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 590-95 |           |   |             |           | 90  |       |      |      |      | 10   |      |                      |          |       |
| 595-99 |           |   |             |           | 10  |       |      |      |      | 90   |      |                      |          |       |
| 599-08 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 608-15 | 70        |   | buff porous |           | 10  |       |      |      |      |      |      |                      |          |       |
| 615-38 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 638-42 | 70        |   | buff        |           | 80  |       |      |      |      |      |      |                      |          |       |
| 642-60 |           |   |             |           | 100 |       |      |      |      |      |      |                      |          |       |
| 660-62 | 70        |   | buff porous |           | 80  |       |      |      |      |      |      |                      |          |       |
| 662-63 | 70        |   | ← ←         |           | 30  |       |      |      |      |      |      |                      |          |       |
| 664-70 | 30        |   | tan porous  |           | 70  |       |      |      |      |      |      | the sds. oil stained |          |       |