


N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

V. S. Welch

Artesia, New Mexico

Company or Operator _____ Address _____
State _____ Well No. 3 of Sec. 20 T. 17
Lease _____
R. 28 N. M. P. M. Artesia Field E County Eddy
Well is 990 feet south of the North line and 330 feet west of the East line of SE 1/4, sec 20
If State land the oil and gas lease is No. B-3119 Assignment No. 1
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced 11-26-44 19____ Drilling was completed 1-29-45 19____
Name of drilling contractor V. S. Welch Address Artesia, New Mexico
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from 1910 to 1924 No. 4, from _____ to _____
No. 2, from 1924 to 1944 No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet. _____
No. 2, from _____ to _____ feet. _____
No. 3, from _____ to _____ feet. _____
No. 4, from _____ to _____ feet. _____

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8"	435	20			
	7"	1650	25			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
8"	435 5-20	Nitro Glycerin	250	1-12-45	1974 to 1888	
2"	5-20					
3"	2 1/2-10					

Results of shooting or chemical treatment Pumping Six Barrels

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 1 feet to 2084 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing April 15 45
The production of the first 24 hours was 6 barrels of fluid of which 100 % was oil; _____ %
emulsion; _____ % water; and _____ % sediment. Gravity, Be 36
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

H. A. Masterson, Driller _____, Driller
A. F. Smith, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ day of _____ 19____
Notary Public _____
My Commission expires _____
Place _____ Date _____
Name _____
Position _____
Representing _____
Company or Operator _____
Address _____

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	160		Red Bed
160	250		Red Bed and Anhydrite
250	370		Anhydrite
370	415		Red Bed
415	490		Anhydrite
490	520		Red Bed and Anhydrite
520	1195		Anhydrite
1195	1250		Red Sand & Anhydrite
1250	1380		Anhydrite
1380	1405		Anhydrite and Lime Shells
1405	1515		Anhydrite
1515	1540		Lime and Anhydrite
1540	1565		Lime
1565	1640		Anhydrite
1640	1895		Lime
1895	1910		Sandy Lime
1910	1924		Red Broken Sand (Show of Oil)
1924	1944		Lime (Show of Oil
1944	1962		Pink Lime
1962	1975		Pink & Gray Lime
1975	2013		Gray Lime
2013	2030		White Lime
2030	2084		Gray Lime

Total Depth 2084