

NE. MEXICO OIL CONSERVATION COM. ISSION

SANTA FE, NEW MEXICO

MISCELLANEOUS NOTICES

Submit this notice in triplicate to the Oil Conservation Commission or its proper agent before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of notice by checking below:

NOTICE OF INTENTION TO TEST CASING SHUT-OFF		NOTICE OF INTENTION TO SHOOT OR CHEMICALLY TREAT WELL	
NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO PULL OR OTHERWISE ALTER CASING	
NOTICE OF INTENTION TO REPAIR WELL		NOTICE OF INTENTION TO PLUG WELL	X
NOTICE OF INTENTION TO DEEPEN WELL			

Artesia, New Mexico

March 28th, 1951.

Place

Date

OIL CONSERVATION COMMISSION,
Santa Fe, New Mexico

Gentlemen:

Following is a notice of intention to do certain work as described below at the

Red Lake Oil Co.

Company or Operator

Lease

Well No. 17 in SWSE

of Sec. 21, T. 17S, R. 28E, N. M. P. M., Red Lake Field.

Eddy

County.

FULL DETAILS OF PROPOSED PLAN OF WORK

FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS OF THE COMMISSION

Plan to fill with mud to 750 feet.

Drive wood plug, cement with 15 sacks.

Mud to 600 feet, run 10 sacks of cement.

Pull 8 inch and mud to surface.

APR 10 1951

Approved _____, 19____
except at follows:

RED LAKE OIL COMPANY

Company or Operator

By _____

Agent

Position _____

Send communications regarding well to

Name _____

Address _____

OIL CONSERVATION COMMISSION,

By _____

Title _____

OIL AND GAS INSPECTOR

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	100		Gyp & Clay
100	130		Anhy.
130	140		Sand & Gravel
140	310		Red Bed
310	430		Anhy.
430	595		Red Bed
595	650		Anhy.
650	655		Red Bed
655	1005		Anhy.
1005	1055		Anhy.-Red Bed
1055	1115		Anhy.
1115	1150		Lime Shells - Anhy.
1150	1260		Anhy.
1260	1270		Red Sand
1270	1395		Anhy.
1395	1420		Lime
1420	1575		Anhy.
1575	1625		Anhy. & Red Shale
1625	1665		Red Bed & Anhy.
1665	1680		Anhy.
1680	1720		Brown Lime
1720	1792		Lime
1792	1852		Gray Lime
1852	1860		Sandy Lime
1860	1864		Blue Shale
1864	1868		Broken Lime
1868	1920		Gray Lime
1920	1933		Brown Lime
1933	1940		Gray Lime
1940	1970		Lime
1970	1979		Red Shale
1979	1992		Gray Lime
1992	2027		White Lime
2027	2037		Gray Lime
2037	2047		Sandy Lime
2047	2061		White Sandy Lime - T. D.