


N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

D.C. Saiken & Herbert Aid Artesia, New Mexico
Company or Operator Address
BNY-State Well No. 1 in Artesia of Sec. 25, T. 17
Lease
R. 28, N. M. P. M., Red Lakes Field, Eddy County.
Well is 2310 feet south of the North line and 330 feet west of the East line of Sect. on 25
If State land the oil and gas lease is No. 647 Assignment No. _____
If patented land the owner is _____, Address _____
If Government land the permittee is _____, Address _____
The Lessee is Flynn, Welch & Yates, Address Artesia, NM
Drilling commenced July 1943 Drilling was completed Sept 28 1943
Name of drilling contractor Independent Supply Co, Address Artesia, NM
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until not confidential 19____.

OIL SANDS OR ZONES

No. 1, from 325 to 359 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from none to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
8"	17	11		340	reg			sur
5"	17	10		320	reg			oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8	340		loaded		
6	5	320	10	manual		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 362 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing Sept 28, 1943.
The production of the first 24 hours was 3 bbls barrels of fluid of which 100 % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

Earl Pleyhar, Driller _____, Driller
Slim Bishop, Driller _____, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this _____ day of 28th Sept, 1943.
Earl Bishop
Notary Public.
Name Herbert Aid
Position partner
Representing D. C. Saiken & Herbert Aid
Artesia, NM Sept 28, 1943
Place Date

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	20	20	caliche
20	280	240	Red bed and gyp
280	290	10 gravel	gravel
290	425	135	Red bed and anhydrite
425	527	102	Salt
527	700	173	Anhydrite
700	825	125	Red sand and anhydrite
825	831	6	anhydrite with streaks of oil sand
831	845	14	red sand and anhydrite
845	850	5	lime showing oil
850	854	4	red sand and anhydrite
854	859	5	lime showing oil
859	862	3	red sand and anhydrite TD