


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD



AREA 60 ACRES
LOCATE WELL CORRECTLY

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

ASTON & FAIR Company or Operator 207 Ward Bldg., Artesia, New Mexico Address
State 31 Well No. 1 X in NW NW of Sec. 31 T. 17S
R. 28E N. M. P. M. ext. Red Lake Field, Eddy County.
Well is 330 feet south of the North line and 330 feet east of the East line of 31-17S-28E
If State land the oil and gas lease is No. B-5362 Assignment No. _____
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is ASTON & FAIR Address same
Drilling commenced 12-28-1945 Drilling was completed 1-5-1946
Name of drilling contractor Earl Hightower Address Artesia, New Mexico
Elevation above sea level at top of casing _____ feet.
The information given is to be kept confidential until _____ 19 _____

OIL SANDS OR ZONES

No. 1, from 517' to 525' No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 135-140 to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
10"	40#	8 V	used	403'	reg.				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4"	10"	403'		H.C.W.C.C.	Heavy	12 sacks Aquagel

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment _____

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Cable tools were used from 0 feet to 525 feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing 1-5-1946
The production of the first 24 hours was 46 barrels of fluid of which 100% was oil; _____%
emulsion; _____% water; and 2% sediment. Gravity, Be 31
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

W. T. Bartlett Driller
W. A. Gray Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 7th

day of January 1946

Notary Public

Artesia, New Mexico 1/7/46

Name Chuck Aston

Position General Manager

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	60	60	Red Rock
60	75	15	Anhydrite
75	135	60	Red Rock
135	140	5	Water Sand
140	205	65	Anhydrite
205	230	25	Grey Sand-water
230	235	5	Anhydrite
235	320	85	Red Rock
320	340	20	Grey Lime
340	375	35	Red Rock
375	385	10	Anhydrite
385	392	7	Red Rock
392	405	13	Anhydrite
405	415	10	Grey shale
415	420	5	Red Rock
420	427	7	Grey Shale
427	517	90	Anhydrite
517	525	8	Brown lime- Oil