

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

RECEIVED

NEW MEXICO OIL CONSERVATION COMMISSION
JUN 22 1972

Form O-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

O. C. C.
ARTESIA, OFFICE

5a. Primary Type of Lease	State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	B-2071

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator FRANKLIN, ASTON & FAIR, INC.	8. Farmer or Lease Name State BJ
3. Address of Operator P. O. Box 1090, Roswell, New Mexico 88201	9. Well No. 2
4. Location of Well UNIT LETTER J, 1650 FEET FROM THE South LINE AND 1958.35 FEET FROM THE East LINE, SECTION 31 TOWNSHIP 17 S. RANGE 28 E. NMPM.	10. Field and Pool, or Wildcat Empire Abo
15. Elevation (Show whether DF, RT, GR, etc.) 3698' RDB	12. County Eddy

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On about June 22, 1972, we plan to enter this well that is currently producing from perforations 5834 to 5880 feet and drill out a bridge plug set at 5980 feet. This plug was set above perforations 5992 to 6014 feet and 6020 to 6044 feet that swabbed 13 B0 in 7 hours after 10,000 gallons acid. If conditions indicate, the lower perforations will be sand-water fraced to increase production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Grant M Smith TITLE Geologist DATE June 21, 1972

APPROVED BY W. C. Gussert TITLE OIL AND GAS INSPECTOR DATE JUN 23 1972

CONDITIONS OF APPROVAL, IF ANY: