

N.

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

J. E. Dedingfield

Aston State

(Company or Operator)

(Lease)

Well No. 1, in 117 1/4 of 117 1/4, of Sec. 32, T. 17S, R. 20E, NMPM.

Undesignated

Pool, Eddy

County.

Well is 330 feet from North line and 330 feet from West line

of Section 32. If State Land the Oil and Gas Lease No. is D-5862

Drilling Commenced April 4, 19 53 Drilling was Completed May 12, 19 53

Name of Drilling Contractor A & B Drilling Company

Address P. O. Box 563, Artesia, New Mexico

Elevation above sea level at Top of Tubing Head..... The information given is to be kept confidential until....., 19.....

OIL SANDS OR ZONES

No. 1, from 628 to 634 No. 4, from..... to.....

No. 2, from..... to..... No. 5, from..... to.....

No. 3, from..... to..... No. 6, from..... to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 285 to 300 feet.

No. 2, from 315 to 355 feet.

No. 3, from water increased 335 to 385 feet.

No. 4, from..... to..... feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8"	24	Used	428'	reg			Water string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10 3/4	8 5/8	428		Mudded		20 ft

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

None

Hole made 5 gal in 16 Hrs at 628' - 634'

Result of Production Stimulation.....

Depth Cleaned Out.....

R RD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used fromfeet to.....feet, and from.....feet to.....feet.
 Cable tools were used from 0 feet to 651 feet, and from.....feet to.....feet.

PRODUCTION

Put to Producing Dry Hole, 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
 was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
 Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of
 liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy..... 150	T. Devonian.....	T. Ojo Alamo.....	
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....	
B. Salt.....	T. Montoya.....	T. Farmington.....	
T. Yates.....	T. Simpson..... <u>6</u>	T. Pictured Cliffs.....	
T. 7 Rivers.....	T. McKee.....	T. Menefee.....	
T. Queen.....	T. Ellenburger.....	T. Point Lookout.....	
T. Grayburg.....	T. Gr. Wash.....	T. Mancos.....	
T. San Andres.....	T. Granite.....	T. Dakota.....	
T. Glorieta.....	T.	T. Morrison.....	
T. Drinkard.....	T.	T. Penn.....	
T. Tubbs.....	T.	T.	
T. Abo.....	T.	T.	
T. Penn.....	T.	T.	
T. Miss.....	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	10	10	Soil & Cal.	450	468	18	Anhy
10	14	4	Gyp & Red Bed	468	475	7	Red Rock
15	45	30	Broken Gyp, Anhy, Red Rock	475	490	15	Broken Anhy
45	54	9	Broken Red Rock & Gyp	490	580	90	Broken Anhy
54	65	11	Red Rock	580	584	4	Salt
65	88	23	Red Mud	584	594	10	Anhy
88	105	17	Red Mud & Red Rock	594	596	2	Salt
105	140	35	Broken Shale	596	609	13	Brown Line
140	158	18	Red Rock & Brown Shale	609	619	10	Anhy
158	188	30	Anhy & Shale Breaks	619	621	2	Brown Line
188	190	2	Blue Shale	621	623	2	Anhy
190	202	12	Anhy & Shale Breaks	623	627	4	Shale
202	218	16	Anhy & Red Bed	627	628	1	Anhy
218	235	17	Anhy	628	634	6	Brown Line
235	260	25	Red Bed	634	651	17	Broken Line & Anhy
260	285	25	Anhy Water @ 285				
285	300	15	Anhy				
300	315	15	Red Sand & Shale				
315	320	5	Soft Red Sand				
320	345	25	Red Rock Water @ 345-355				
345	355	10	Red Sand				
355	395	40	Broken Anhy & Red Bed				
395	428	33	Red Rock & Anhy				
428	450	22	Anhy & Red Rock				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

July 20, 1953

Company or Operator..... J. E. Beddingfield
 Name..... Olell Adkins

Address..... Box 563, Artesia, New Mexico (Date)
 Position or Title..... Bookkeeper