	i []						(Form C-100)				
	╺┼╼┼╼┤	-+		NEW MEXICO	OIL CONSE	RVATION CON	MISSION				
	╶┼╾┽╾┤										
							RECEIVED				
					WELL R	ECORD	FEB 1 8 1960				
		_				-	D. Co Was sent not				
			later than tw	trict Office, Oil C venty days after con nission. Submit in (mpletion of well	. Follow instruction	Forth 5, 101 was sent not s in Rules and Regulations Land submit 6 Copies				
LOCAT	AREA 840 AC	r es Rrectly									
Hor	ndo 🗕 W	estern -	Tates			State	A				
	3	(Company or Oper	war)	1/ of Sec. 3	2 7	17 S p	28 B , NMPM				
'ell No Er	moire A	bo 🤟 🖓	Liger	.74, 01 OCC	Eddy	, A					
	560		South		1080		West lin				
							60 19				
levation abo	ove sea level	at Top of Tubin	g Head	6 64	The inf	ormation given is t	o be kept confidential unti				
			, 19								
			0	IL SANDS OR ZO	INTER						
	E 77E	2									
o. 3, from		ta)	No. 6,	from	to					
			IMPO	RTANT WATER	SANDS						
nclude data	on rate of	water inflow and	elevation to which	water rose in hole	2.						
Io. 1, from			to			feet					
No. 4, Irom.						×					
				CASING RECO	RD	<i>ر</i>					
SIZE	WEIG PER F			KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE				
8-5/8	24		779	Float			Surface				
0-970				11040							
5-1/2	14	. New	6172	Float			0il String				
				ļ —	······						
			MUDDIN	G AND CEMENT	ING RECORD						
SIZE OF	SIZE OF	SIZE OF WHERE NO. SACKS		METHOD MUD			AMOUNT OF				
HOLE	CABING	SET	OF CEMENT	USED		RAVITY	MUD USED				
11	8-5/8	779	280	Pump - Pl	ug						
7-7/8	5-1/2	6172	400	Pump - Pl	ug						
	·										
			RECORD OF	PRODUCTION A	ND STIMULA	TION					
		(Record)		No. of Qts. or Gal							
		(ACCOLD	and a source upong a		.,	/					

Treated Formation Through perforation, 2 link shot per foot,

5972 - 5998 with 500 gallons 15% regular acid

.....

Result of Production Stimulation 320 barrels oil in 6 hours with 268 MCF

Depth Cleaned Qut

••••••

.....

vised !/1/88)

			L JRD O	F DRILL-91	'EM ANI	SPECIAL TE	8			
	If drill-stem	or other s	pecial tests or deviat	ion surveys w	ere made,	submit report or	n sepa	rate sheet and atta	ch hereto	
			•		ls used					
Rotary tools	were used fr	om	rface	6172	fee	t, and from		feet tofeet.		
Cable tools v	were used from	m	feet to		fee	t, and from		feet to		fe et .
					DUCTION	ľ '				
Put to Produ	ucing	2-1	.5-6 0	, 19						
OIL WELL	: The prod	uction du	ing the first 24 hours	was	1280	barrels	of li	auid of which	99-2	% was
			% was em					_		
			42.6				nu		was seument.	A.P.I.
	Gravity	••••			•			· · · · · ·	~	
GAS WELL	: The prod	uction dur	ing the first 24 hours	was		M.C.F. plus			ba	rrels of
	liquid Hy	drocarbon	. Shut in Pressurc	11	35 .					
Length of T	Time Shut in.									
			W FORMATION T			ANCE WITH G	ROG	RAPHICAL SEC	TION OF STA	T (F ()).
* 1 121715.			utheastern New Me						n New Mexico	
T. Anhy										
T. Salt			T. S	Silurian						
B. Salt			т. т. т	Montoya		T. Farmington				
T. Yates			T. S	Simpson			Т.	Pictured Cliffs	•••••••••	
	.			McKee		••••••	Т.	Menefee	••••••	•••••
T. Queen	18.5			Ellenburger						
				Gr. Wash		••••••	Т.	Mancos		
	dres							Dakota	••••••	•••••
	·····							Morrison		
	d			• - • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·			Репл		•••••
T. Tubbs	·····			***************		•••••	Т.			
			_	•••••••		· · · · · · · · · · · · · · · · · · ·	Т. Т.			
						••••••	т. Т.		••••••	•••••
1. 141155		•••••		FORMATI	ON RE	CORD	1.	••••••		
	Thick						A ble	ATTEN COM	MISSION I	
From	To in F		Formation		Fro		n Feet		ormation	
0]	420 1	120 F	edbed, Gyp	Anhy	,	100-10			9	
1420 4	835 31	415 Lime, Sa	ime, Sand	•				ON ON		
4035			olo, Lime				•••••••	1 00		
7 (44 9	· . (ted 1						f	2	
									->	
						SNHIA 16 LUAAILUA C	- ICE		-1	

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

ł,

OPERS

M0455

ĒŔ

1

V

7

ATE LAH

S. O. S.

ANSTOR Ξ

> Ā 10

2

1

ï

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far al Deans as can be determined from available records. 2-15-60

Company or Operator	Hondo	011	& G as	Company	Address	Bat	125,	Artesi	L, New	
Name A.		18			Position or '			Prod. S		

NEW MEXICO OIL CONSERVATION COMMISSION LILLING CARPER BUILDING NEW MEXICO ARTESIA, NEW MEXICO

March, 1960 No. A 2

SUPPLEMENT TO THE OIL PRORATION SCHEDULE

DATE March 1, 1960

PURPOSE: ALLOHABLE ASSIGNMENT (SECORD HORTH)

Effective March 1, 1960, an allowable of 64 barrels of oil per day or a total of 1984 barrels for the month is hereby assigned to the Hondo-Mestern-Yates, State A, 3-N, 32-17-28, Undesignated Location.

XLA/bh

OIL CONSERVATION COMMISSION

Hando-Mestern-Istes

Service

District Supervisor

EXTRA COPY

📽 ang katang sa sa