

**Santa Fe, New Mexico**

**DELETED**

104-37355

On 10/10/85, 10/10/85

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES  
LOCATE WELL CORRECTLY

**Beuler & Yates et al.**  
(Company or Operator)

**State 647 - East 7**  
(Loss)

Well No. 135, in SW  $\frac{1}{4}$  of SW  $\frac{1}{4}$ , of Sec. 35, T. 17N, R. 28W, NMPM.

Address ..... Pool ..... City ..... County .....

Well is 660 feet from West line and 1980 feet from South line

of Section 35 If State Land the Oil and Gas Lease No. is 67

Drilling Commenced.....**December 13**....., 19...**56**... Drilling was Completed.....**December 17**....., 19...**56**

Name of Drilling Contractor..... **S. F. Yates Drilling Company**.....

Address..... **Casper Hdg., Artesia, New Mexico** .....

Elevation above sea level at Top of Tubing Head..... The information given is to be kept confidential until  
..... 19.....

No. 1, from 2370 to 2378 No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1. from ..... to ..... feet. ....

No. 2, from.....to.....feet. ....

No. 3, from.....to.....feet. ....

No. 4. from.....to.....feet. ....

| SIZE  | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE |
|-------|-----------------|-------------|--------|--------------|---------------------|--------------|---------|
| 7     | 17              | NEW         | 600    |              |                     |              |         |
| 4 1/2 | 9.5             | NEW         | 2300   |              |                     |              |         |

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
| 8 3/4        | 7              | 622       | 75                  |             |             |                    |
| 6 1/4        | 4 1/2          | 2362      | 150                 |             |             |                    |

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

~~Sand oiled w/ 10,000 gallons lamp waste and 20,000 lbs. sand from 2370-78.~~

Result of Production Stimulation.....Increased production to 50 MPD

**...Depth Cleaned Out...!!!**

# RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from 0 feet to 2395 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

## PRODUCTION

Put to Producing December 22, 1956

OIL WELL: The production during the first 24 hours was 50 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 37

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

### Southeastern New Mexico

### Northwestern New Mexico

|                    |                |                       |
|--------------------|----------------|-----------------------|
| T. Anhy.           | T. Devonian    | T. Ojo Alamo.         |
| T. Salt.           | T. Silurian    | T. Kirtland-Fruitland |
| B. Salt.           | T. Montoya     | T. Farmington         |
| T. Yates.          | T. Simpson     | T. Pictured Cliffs    |
| T. 7 Rivers        | T. McKee       | T. Menefee            |
| T. Queen           | T. Ellenburger | T. Point Lookout      |
| T. Grayburg        | T. Gr. Wash    | T. Mancos             |
| T. San Andres 2380 | T. Granite     | T. Dakota             |
| T. Glorieta        | T.             | T. Morrison           |
| T. Drinkard        | T.             | T. Penn               |
| T. Tubbs           | T.             | T.                    |
| T. Abo             | T.             | T.                    |
| T. Penn            | T.             | T.                    |
| T. Miss            | T.             | T.                    |

## FORMATION RECORD

| From | To   | Thickness in Feet | Formation           | From | To | Thickness in Feet | Formation |
|------|------|-------------------|---------------------|------|----|-------------------|-----------|
| 0    | 480  |                   | Red bed             |      |    |                   |           |
| 480  | 622  |                   | Anhydrite           |      |    |                   |           |
| 622  | 850  |                   | Anhydrite & red bed |      |    |                   |           |
| 850  | 1670 |                   | Anhydrite           |      |    |                   |           |
| 1670 | 1980 |                   | Anhydrite & lime    |      |    |                   |           |
| 1980 | 2395 |                   | Lime                |      |    |                   |           |

OIL CONSERVATION COMMISSION  
ARTESIA DISTRICT OFFICE  
No. Copies 6  
Operator  
Engineer 1  
Geologist 1  
State 1  
U.S. Survey 2  
Transport  
File 1  
B of Mines 1

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Reeler & Yates et al Address 302 Carper Bldg., Artesia, New Mex.  
Name J. L. Reeler Position or Title  
December 26, 1956 (Date)