


(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office W 05126
Lease No. _____
Unit Yates, et al

30-015-02512



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

March 28, 1956

Yates-Rogers
Well No. 1 is located 660 ft. from N line and 1900 ft. from E line of sec. 29

NE 1/4 Sec. 29 T. 16 S. R. 29 E. N.M.P.M.
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox Eddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill to approximately 1900 feet or to the lower Queen section. We propose to set 400 feet of 8-5/8 inch casing and cement with not less than 25 sacks of cement. We will run and cement production string to approximately 1835 feet and cement with not less than 100 sacks of cement. If oil is encountered we propose to sandfrac open hole.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company A. H. Rogers

Address 2316 Broadway

Lubbock, Texas

By A. H. Rogers

Title Operator