

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Bez 187 Artesia, New Mexico

James 15, 1957

General American Cil Company of Texas P. O. Bax 118

Lose Hills, New Mexico

Re: Oil and Gas Lease IC 063648

Gentlemen:

Your "Subsequent Report of Abendment" dated October 23, 1956, covering your well Ho. 1-Sivley "A" located \$620 feet from couth and 660 feet from west lines of coution 3, in let \$2, T. 16 5., E. 29 E., wildest area, Eddy County, New Maxico, is hereby approved.

Yery truly yours,

John A. Frost District Engineer

والمساور والمساور والمعالي والمنطاق المنافية

JAT :mm

Inspected by John A. Front Jennary 14, 1957



UNITED STATES DEPARTMENT OF THE INTERIOR GECTOGICAL SURVEY

ing the state of the state of

التامير وروافض المارين الأسائل الأنافي والمدار العالم المعطومات

.

If a proof of the control of the contr

and the second second

And Andrew State (1985)

1841

-

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Office Las Crosss
Lease	No. 053648
linit	Pederal Muley "A"

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLA NOTICE OF INTENTION TO TEST WATER NOTICE OF INTENTION TO RE-DRILL OF NOTICE OF INTENTION TO SHOOT OR A NOTICE OF INTENTION TO PULL OR AL NOTICE OF INTENTION TO ABANDON W	NS	SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT.
(INDICATE		ATURE OF REPORT, NOTICE, OR OTHER DATA)
•		Loss Mills, New Marico, October 23 , 19.5
'ell No is locate	d ft. from.	${S \atop S}$ line and ${S \atop S}$ ft. from ${W \atop W}$ line of sec. 3
Let 12, Sec. 3	16-5 2	9-3 8.4.7.4.
(1/ Sec. and Sec. No.)	(Twp.) (R	tange) (Meridian)
S PLICITICS AND ADMITE		
	3457° to 1600°; 10 marks from 1 1580° to 300°; 10 marks from 3 280° to surface	600° to 1580°;
Count plug of Heavy and from Comest plug of Heavy and from Comest plug of Heavy and from Hroston regulat	3457' to 1600'; 10 marks from 1 1580' to 300'; 10 sacks from 3 280' to surface 1on marker. ng recovered fr	600° to 1580°;
Coment plug of Heavy and from Coment plug of Heavy and from Coment plug of Heavy and from Erected regulations All 8 5/8" canish 355' left in be	3457' to 1600'; 10 marks from 1 1580' to 300'; 10 sacks from 3 280' to surface Lon marker. Mg recovered fr	600° to 1580°; 00° to 280°;
Count plug of Heavy and from Concert plug of Heavy and from Concert plug of Heavy and from Erected regulations of Land 185 of Concert plug of Heavy and from Erected regulations of Land 185 left in Bo	3457' to 1600'; 10 marks from 1 1580' to 300'; 10 sacks from 3 280' to surface Lon marker. Mg recovered fr	500° to 1580°; to 280°; to 280°; to hole, 10 3/4° casing, emented at rriting by the Geological Survey before operations may be commenced.
Count plug of Heavy and from Concert plug of Heavy and from Concert plug of Heavy and from Erected regulations 1 1 1 5 5 2 casis 155° lost in heavy landerstand that this plan of work	3457' to 1600'; 10 marks from 1 1580' to 300'; 10 marks from 3 280' to surface Lon marker. mg recovered from he. must receive approval in w	500° to 1580°; On hole, 10 3/4° casing, emented at riting by the Geological Survey before operations may be commenced.