

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYPERMIT IN TRIPI
(Other instructions
verse side)TE
FEForm approved
Budget Bureau No. 42-R1424

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input checked="" type="checkbox"/> Water Injection		5. LEASE DESIGNATION AND SERIAL NO. LC-061638	
2. NAME OF OPERATOR General American Oil Company of Texas		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR P. O. Box 128, Loco Hills, New Mexico 88255		7. UNIT AGREEMENT NAME RECEIVED	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FSL & 1980' FEL		8. FARM OR LEASE NAME Brewer	
14. PERMIT NO.		9. WELL NO. 19	
15. ELEVATIONS (Show whether DF, RT, OR, etc.) 3738' DF		10. FIELD AND POOL, OR WILDCAT High Lonesome	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 12, T-16S, R-29E	
		12. COUNTY OR PARISH Eddy	
		13. STATE New Mexico	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF

PULL OR ALTER CASING

WATER SHUT-OFF

REPAIRING WELL

FRACTURE TREAT

MULTIPLE COMPLETE

FRACTURE TREATMENT

ALTERING CASING

SHOOT OR ACIDIZE

ABANDON*

SHOOTING OR ACIDIZING

ABANDONMENT*

REPAIR WELL

CHANGE PLANS

(Other)

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

We propose to plug and abandon the above well as follows:

1. Pull tubing.
2. Spot 100' plug from 2106'-2006' to cover open hole section, 2106'-2077'.
3. Perforate 4 holes @ ~~908'~~ ^{1090'}, ~~Base of Salt~~ ^{Top of Yates}, and squeeze 55 sacks cement into formation.
4. Perforate 4 holes @ ~~500'~~ ^{475'}, ~~Top of Salt~~ ^{25' above}, and squeeze 55 sacks cement into formation.
5. Perforate 4 holes @ 350', water zone, and squeeze 55 sacks cement into formation.
6. Set 10 sack surface plug.
7. Erect permanent well marker.

18. I hereby certify that the foregoing is true and correct

SIGNED M. S. DanangTITLE EngineerDATE August 18, 1981

(This space for Federal or State office use)

APPROVED BY
CONDITIONS OF APPROVAL, IF ANY:

TITLE

APPROVED AS AMENDED

DATE

Change in Steps 3 + 4
See attached general requirements

*See Instructions on Reverse Side

AUG 25 1981
JAMES A. GILLHAM
DISTRICT SUPERVISOR



United States Department of the Interior

GEOLOGICAL SURVEY
South Central Region
Roswell District
P.O. Drawer 1857
Roswell, New Mexico 88202-1857

Re: Permanent Abandonment

Well: No. 19 Brewer

CONDITIONS OF APPROVAL

1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal Leases".
2. The Artesia office (Telephone (505) 746-9838) is to be notified in sufficient time for a representative to witness all plugging operations.
3. Blowout prevention equipment is required.
4. In addition to normal filling of pits and cleanup of location, additional surface restoration work may be required, i.e. ripping of pad and/or access road, reseeding, etc. We have asked the Bureau of Land Management for the surface restoration requirements for this well and we should be able to furnish you these requirements within 30 days. After plugging the well and before making final clean-up, you should contact this office unless you have already been advised as to what additional surface restoration work is required.