


Form 9-581a
(Feb. 1961)

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las Cruces
Lease No. 061638
Unit Brewer38-015-02695

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Loco Hills, New Mexico May 12, 1959Well No. 10 is located 1990 ft. from N line and 1977 ft. from W line of sec. 13SE/4 EN/4 SEC. 13
($\frac{1}{4}$ Sec. and Sec. No.)16-5
(Twp.)29-2
(Range)N.M.P.M.
(Meridian)HIGH LONESOME
(Field)EDDY
(County or Subdivision)NEW MEXICO
(State or Territory)The elevation of the derrick floor above sea level is 3737 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

WE PROPOSE TO DRILL THIS WELL AS FOLLOWS:

OBJECTIVE: Penrose Sand (Queen)TOTAL DEPTH: Approximately 2110'.METHOD OF DRILLING: Cable tools to total depth.CASING PROGRAM: Will run approximately 425' of 10 3/4" OD casing and obtain formation shut-off. If surface water is encountered in sufficient quantities, will cement 10 3/4" w/50 sacks. If water is encountered in the Red Sand section of the Queen formation, will run approximately 1900' of 8 5/8" OD casing and mud with Aquagel and crude oil. If commercial production is indicated, a production string of 7" OD casing will be run and cemented immediately above the pay horizon.DRILLING CONTRACTOR: Hoodham Drilling Company.DRILLING OPERATIONS TO COMMENCE: On or about May 15, 1959.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company GENERAL AMERICAN OIL COMPANY OF TEXASAddress P. O. BOX 416LOCO HILLS, NEW MEXICOBy R. J. Heard
R. J. HeardTitle District Superintendent

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE


SECTION A

Operator General American Oil Co. of Texas			Lease Brewer		Well No. 10
Unit Letter F	Section 13	Township 16 South	Range 29 East	County Eddy	
Actual Footage Location of Well: 1980 feet from the North line and 1976.54 feet from the West line					
Ground Level Elev. 3734.8	Producing Formation		Pool	Dedicated Acreage: Acres	

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES _____ NO _____. ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 (Comp.))
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES _____ NO _____. If answer is "yes," Type of Consolidation _____
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner	Land Description

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

Name
Position
Company
Date

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 4-3-59
Registered Professional Engineer and/or Land Surveyor, JOHN W. WEST
Certificate No. N.M. - P.E. & L.S. NO. 676

0 330 660 990 1320 1650 1980 2310 2640 2000 1500 1000 500 0