OIL.

UNITED STATES MOOD BOT INTRIPLICATED DEPARTMEN. JF THE INTERIOR Verse alde)

GEOLOGICAL SURVEY

Porm	appro	Ted.		
Budge	t Bur	eau No	. 43-	R1424

_		~~~						
j.	LEASE	DESI	G×.	1710	X A	ND E	PERIAL	¥O.

	LC-061638	3			
_	6. IF INDIAN.	ALLOTTEE	OR	TRIBE	NAME

Brewer 9. WELL NO.

S. FARM OR LEASE NAME

High Lonesome

	SUNDRY NOTIC	CES AND	REPORTS (ON W	'ELLS
(Do not u	ise this form for proposa	ls to drill or t		back to a	different reservoir.

Use "APPLICATION FOR PERMIT-" for such proposals.)

7. UNIT AGREEMENT NAME

10. PIELD AND POOL, OR WARPESIA, OFFICE

AUG 27 1981

WELL	لــ	WELL	OTHER	Water	Injection
NAME OF	OPE	HATOR			
_	_		~ • •	_	

General American Oil Company of Texas

P. O. Box 128, Loco Hills, New Mexico 88255

LOCATION OF WELL (Report location clearly and in accordance with any State requirements.

1980' FSL & 1980' FWL

14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3711' DF

11. MEC., T., R., M., OR BLK. AND BURVEY OR AREA Sec. 14, T-16S, R-29E

12. COUNTY OR PARISH 18. STATE New Mexico

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF FRACTURE TREAT

SHOOT OR ACIDIZE REPAIR WELL

(Other)

PULL OR ALTER CASING MULTIPLE COMPLETE ABANDONS

SURSEQUENT REPORT OF :

WATER SHUT-OFF FRACTURE THEATMENT BHOOTING OR ACIDIZING

REPAIRING WELL ALTERING CASING ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

We propose to plug and abandon the above well as follows:

- 1. Pull tubing.
- Spot 100' plug from 2047'-1947' to cover open hole section, 2047'-2019'.

X

- Perforate 4 holes @ 892'; Perc of Sait, and squeeze 55 sacks cement into 1027. Top of YATES formation.
- Perforate 4 holes @ 445, Top of Salt, and squeeze 55 sacks cement into 420', 25 + 46 over
- Perforate 4 holes @ 350', water zone, and squeeze 55 sacks cement into formation.
- Set 10 sack surface plug.
- Erect permanent well marker.

18. I hereby certify that the foregoing is true and correct

(This space for Federal or State office use)

Engineer

DATE August 18.

APPROVED AS AMENDED DATE _

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

See attached general requirements

*See Instructions on Reverse Side

JAMES A. GILLHAM DISTRICT SUPERVISOR

AUG 25 1981



United States Department of the Interior

GEOLOGICAL SURVEY

South Central Region
Roswell District
P.O. Drawer 1857
Roswell, New Mexico 88202-1857

Re: Permanent Abandonment

Well: No. 18 Brewer

CONDITIONS OF APPROVAL

- 1. Plugging operations authorized are subject to the attached "General Requirements for Permanent Abandonment of Wells on Federal Leases".
- 2. The Artesia office (Telephone (505) 746-9838) is to be notified in sufficient time for a representative to witness all plugging operations.
- 3. Blowout prevention equipment is required.
- 4. In addition to normal filling of pits and cleanup of location, additional surface restoration work may be required, i.e. ripping of pad and/or access road, reseeding, etc. We have asked the Bureau of Land Management for the surface restoration requirements for this well and we should be able to furnish you these requirements within 30 days. After plugging the well and before making final clean-up, you should contact this office unless you have already been advised as to what additional surface restoration work is required.