

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Oil Cons.
N.M. DIV-Dist. 2
1301 W. Grand Avenue
Artesia, NM 88210
CLSF

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☐ Gas Well ☒ Other Water Injection Well

2. Name of Operator
Vintage Drilling LLC

3. Address and Telephone No.
P.O. Box 158 Loco Hills, NM 88255 505-746-1669

4. Location of Well (Footage, Sec., T. R. M. or Survey Description)
990' FNL and 2310' FEL
Sec 15, T16S, R29E

5. Lease Designation and Serial No.
NM 05523

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.
High Lonesome Penrose Unit #6

9. API Well No.
30-015-02720

10. Field and Pool, or Exploratory Area
High Lonesome Queen

11. County or Parish, State
Eddy County, NM

12 CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Plug 1866' - 1966'

*Perforate @ 875' & set solid plug 775' - 875' Tag.

*Perforate @ 467' & set solid plug 367' - 467' Tag.

0-50' surface plug

Install dry hole marker

*Perforate means to perforate & squeeze w/sufficient cement (+/- 40 sks) to have a solid plug outside & inside the casing. Surface casing shoe plugs should have enough cement to circulate to the surface in the annulus between the 8 5/8" surface casing & the production casing.

8 5/8" 17# 417' W/50 sks

6" 1919' W/100 sks

Our records show TD @ 1966'

14. I hereby certify that the foregoing is true and correct

Signed Marie Durham

Title Marie Durham

Date 2/15/02

(This space for Federal or State office use)

(ORIG. SGD.) DAVID R. GLASS

Approved by
Conditions of approval, if any
FEB 19 2002

Title

Date

Title 16
or repr

Accepted for record

FEB 22 2002

only

and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements

See Instruction on Reverse Side