

WELL RECORD

(LAW)

Pool

Eddy

County.

Nenth Cleaned Out

ORD OF DRILL-STEM AND SPECIAL TES

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3096 feet, and from feet to feet.
Cable tools were used from 0 feet to 3096 feet, and from feet to feet.

PRODUCTION

Put to Producing P & A MAY 3 56, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	250	T. Devonian	T. Ojo Alamo
T. Salt.	690	T. Silurian	T. Kirtland-Fruitland
B. Salt.	832	T. Montoya	T. Farmington
T. Yates		T. Simpson	T. Pictured Cliffs
T. 7 Rivers	1638	T. McKee	T. Menefee
T. Queen	2035	T. Ellenburger	T. Point Lookout
T. Grayburg	2417	T. Gr. Wash.	T. Mancos
T. San Andres		T. Granite	T. Dakota
T. Glorieta		T.	T. Morrison
T. Drinkard		T.	T. Penn.
T. Tubbs		T.	T.
T. Abo		T.	T.
T. Penn.		T.	T.
T. Miss.		T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	250	250	Redbeds and sand				
250	500	250	Salt				
500	545	45	Anhydrite & Salt				
545	690	145	Salt				
690	855	165	Anhydrite				
855	1005	150	Anhydrite & red shale				
1005	1150	145	Anhydrite				
1150	1190	40	Anhydrite, dolo, shale				6
1190	1360	170	Anhydrite & shale				
1360	1590	230	Salt, Anhy, shale, sand				
1590	1640	50	Anhydrite, red shale				
1640	1685	45	Red Sand, shale Queen water				1
1685	1775	90	Anhydrite, shale				
1775	1810	35	dolomite, anhy				1
1810	1910	100	Anhy, sand, shale				2
1910	2040	130	Anhy, sand, shale				
2040	2240	200	Dolo, anhy, shale, sd				
2240	2325	85	Dolo, sand, anhy				1
2325	2420	95	Dolo, sand, shale				1
2420	2490	50	brown dolomite				
2490	2545	55	Dolo, gry shale, sand				
2545	3096	551	Brn fine xln and cmntd colitic dolomite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

May 8, 1956
Company or Operator Geror Oil Company
Name Edward Briney
Address 1846 E. Broadway, Tucson, Ariz.
Position or Title Consulting Geologist