

(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

App	roval expir	1 No. 42-R358.4 res 12-31-60.
Lease No	055	
Unit	: E 1	VED

NOV 1 6 1960

SUNDRY NOTICES AND REPORTS ON WELLS. C. C.

		APTESIA
NOTICE OF INTENTION TO DRILL	I	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	1	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.	i :	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

NOTICE OF INTENTION TO RE-DRILL OR RE	TAIR MELL SUBSECIOENT P	REPORT OF RE-DRILLING OR REPAIR.					
NOTICE OF INTENTION TO SHOOT OR ACID	IZE SUBSEQUENT F	f) · · · · · · · · · · · · · · · · · · ·					
NOTICE OF INTENTION TO PULL OR ALTER		RY WELL HISTORY					
NOTICE OF INTENTION TO ABANDON WELL							
(INDICATE ABO	OVE BY CHECK MARK NATURE OF REPORT,	NOTICE, OR OTHER DATA)					
	in the Property of the second of the	Non-Marian Non-10					
WeCsllister-Federal	at volati	New Mexico - Nov. 10,19					
77-11 NI - 1 - 1	660 c. (N)	660 (K)					
		ft. from $\left\{\begin{matrix} E \\ W \end{matrix}\right\}$ line of sec.					
(4 Sec. and Sec. No.)	168 298	n k ? k					
(1/2 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)					
(Field)	(County or Subdivision)	(State or Territory)					
₩							
he elevation of the derrick Moon	above sea level isft	t. (Q, E,)					
	DETAILS OF WORK	-					
		-					
tate names of and expected depths to object	tive sands; show sizes, weights, and lengt	the of proposed casings; indicate mudding jobs, cen					
Drill 10" hole to apoemnt with 50 aseks	proximately 325'. R	un 8 5/8" casing and drilling to the top of					
Drill 10" hole to ap cement with 50 secks fan andres formation 2400'. Provided oil with at least 100 se	proximately 325'. R coment. Continue which should be en sand is round, run oka coment.	un 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and occur					
Drill 10" hole to ap coment with 50 secks fan endres formation 2400'. Provided oil with at least 100 se section should be 15	proximately 325'. R coment. Continue which should be en sand is found, run oks cement. colared from any	un 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and open.					
Drill 10" hole to ap coment with 50 ascks fan andres formation 2400'. Provided oil with at least 100 se section should be 15	proximately 325'. R coment. Continue which should be en sand is found, run oks cement. colared from any	un 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and open.					
Drill 10" hole to apposent with 50 ascks for andres formation 2400'. Provided oil with at least 100 se section should be is	proximately 325'. R coment. Continue which should be en sand is found, run oks cement. colared from any	drilling to the top of acoustered at approximate the constant and open of the constant of the					
Drill 10" hole to ap coment with 50 ascks fan andres formation 2400'. Provided oil with at least 100 se section should be 15	proximately 325'. R coment. Continue which should be en sand is found, run oks cement. colared from any	cun 8 5/8" casing and drilling to the top of countered at approximate to the countered at approximate and open of Casing and open of RECEIVED NOV 1 2 1960					
Drill 10" hole to appoint with 50 seeks for andres formation 2400'. Provided oil with at least 100 seeks should be 15 li work to be done wi	proximately 325'. R coment. Continue which should be en sand is round, run cks cement. cks cement. the cable tools.	cun 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and ocean Fluids encountered RECEIVED NOV 1 3 1960 U. S. CLERUGIONI SURVE					
Drill 10" hole to apposent with 50 seeks Two endres formation 2400'. Provided oil with at least 100 se Section should be 15 ll work to be done wi	proximately 325'. R coment. Continue which should be en sand is round, run oks coment. colated from any i ith cable tools.	cun 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and ocean Cluds encountered RECEIVED NOV 1 3 1960 U. S. OLTRUGICAL SURVE ARTERIA MESIA MESIA SURVE					
Drill 10" hole to apposent with 50 secks Ten endres formation 2400'. Provided oil with at least 100 se section should be 15 11 work to be done wi	proximately 325'. R coment. Continue which should be en sand is round, run oks coment. colated from any i ith cable tools.	cun 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and ocean Fluids encountered RECEIVED NOV 1 3 1960 U. S. CLERUGIONI SURVE					
Drill 10" hole to appearant with 50 seeks Ten endres formation 2400'. Provided oil with at least 100 se Section Should be 15 Il work to be done with J. Grady Fr Box 2703	proximately 325'. R coment. Continue which should be en sand is round, run oks coment. colated from any i ith cable tools.	cun 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and ocean Fluids encountered RECEIVED NOV 1 3 1960 U. S. CLERUGIONI SURVE					
Drill 10" hole to apposent with 50 seeks San andres formation 2400'. Provided oil with at least 100 se Section Should be 15 Il work to be done with I understand that this plan of work must ompany Box 1703 ddress	proximately 325'. R coment. Continue which should be en sand is found, run cks coment. colated from any ith cable tools. receive approval in writing by the Geologiant	drilling to the top of drilling to the top of drilling to the top of doubtered at approximate to the countered at approximate and open of the countered and open open open open open open open open					
Drill 10" hole to appearant with 50 seeks Ten endres formation 2400'. Provided oil with at least 100 se Section Should be 15 Il work to be done with J. Grady Fr Box 2703	proximately 325'. R coment. Continue which should be en sand is found, run cks coment. colated from any ith cable tools. receive approval in writing by the Geologiant	cun 8 5/8" casing and drilling to the top of countered at approximate 42" CD Casing and ocean Fluids encountered RECEIVED NOV 1 3 1960 U. S. CLERUGIONI SURVE					
Drill 10" hole to apposent with 50 seeks The endres formation 2400'. Provided oil with at least 100 se Section Should be 15 Il work to be done with Tunderstand that this plan of work must ompany Box 1703 ddress	proximately 325'. R coment. Continue which should be en sand is round, run cks coment. content from any ith cable tools. receive approval in writing by the Geological Section of the Geological Sectio	drilling to the top of countered at approximate to the proximate to the countered at approximate to the countered to consume and open to the countered to the c					
Drill 10" hole to apposent with 50 seeks fan andres formation 2400'. Provided oil with at least 100 se Section should be 15 11 work to be done with tunderstand that this plan of work must company Box 103 Box 103	proximately 325'. R coment. Continue which should be en sand is found, run cks coment. colated from any ith cable tools. receive approval in writing by the Geologiant	drilling to the top of countered at approximate to the proximate to the countered at approximate to the countered to consume and open to the countered to the c					

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128 Revised 5/1/57

, 	WELL	LUCATIO	DN AND	ACRE	AGE	EDIC	ATION	PLAT		
SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE										
				SECTIO	N A					
Operator			1	Lease	~		70 1		Well No.	
	rady Wrig	Iownship	1		Calli			ral]	
7 : II LIBRECE	_	1	L-7.	Ran		i	ounty	73.3.3		
actual Footage Loc	28	16 Sput	<u>cn</u>		East			Eddy	· .	
660	feet from the	North	line and	6	660	feet fr	on the	West	line	
Ground Level Elev.	Producing Fo			Pool.	, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>			West	Dedicated Acrea	ge:
3635					***	ς i		1.		Acres
						*,) Ka		
. Is the Operator t	the only owner in	the dedicated	acreage out	tlined on	the plat b	elew? l	ŒS	NO	. (''Owner'' mean	is the person
who has the righ	t to drill mto and	l to produce fro	om any pool	and to a	ppropriate	the tro	luction e	ither for him	self or for himsel	!f and
another, (0)-3	-29 (e) NMSA 193	35 Comp.) Di	SHORE	MJ MI	11846	r war	8 Ple	uts de.	tom depth	drilled
2. If the answer to	NO If	fanewerie "	nterests o	of Cases, or arr the	owners be	en cons CD	olidated.	by communit	ization agreemen Bo與 的 在	t or other-
3. If the answer to									DECEN	VED
Owner				T T	Land De			·		W
				1	Land De	scription			NOV 1 3	<u> </u>
	,							U	. S. GEOLEGIO	AL SURVEY,
									ARTESIA, NEW	MEXICO _
		SECTIO	NB	ورزان المراجعة والمناوا والمناوا					CERTIFICATION	1
0	•									
99	! #	İ			Ì				certify that the in	
660	i				1			2	ON A above is tru he best of my kno	
	ļ				!			belief.	he best of my kno	wiedge and
. •	1				1					
					•		1	Name	11 -11	- 1/2
	+				+			Position	role W	1
	†							✓ 0 : p4	rator	
	1							Company Bane	•	
					İ		The same	Date NOV	mber 10ta	, 1960
	į						Control of the Contro			
		-								
	ļ i				!		a georgi	I hereby c	ertify that the we	ll location
1					i				the plat in SECTI	
	i				İ		ar ar		m field notes of a	
1	İ				!		į		ade by me or unde	
	1				1		# 5		n, and that the sa	
					<u> </u>			and correct	t to the best of m	y knowledge
	!						-	and belief	•	
					ì		Š.			
	İ				İ			Date Surve	yed	
	!							No:	vember 7,	1960
	I						Calc. St.	Į.	d Professional En	gineer
					1		2000		nd Surveyor	1
								John	a mais	Bea gr
0 330 660 99	0 1320 1650 19	80 2310 2640	2000	1500	1000	500	0/	Certificate	No. 1502	. *

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.