N M (	O. C. C. COPY	Budget Bureau No. 42-R358.4. Approval expires 12-31-60.		
(Feb. 1951)				
	IN TRIPLICATE)	06407-A		
APPRON UNITE	Loase No. K, Lot 11 - 8/8 Unit 30-015-335 VE			
APT 1961 & DEPARTMENT				
MAR ? SROWN GEOLOG				
Min B. SHUT ENGIN	and the second	DECT		
ACTING DISING SUNDRY NOTICES AN	ND REPORTS O	R E C L 4 196 N WELLS MAR 1.4 196 R SHUT-OFF		
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATE	R SHUT-OFF		
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOT			
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	ITER SHUT-OFF			
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DR			
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	NTION TO SHOOT OR ACIDIZE SUBSEQUENT REPORT OF ABANDONMENT			
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTOR	۲		
NOTICE OF INTENTION TO ABANDON WELL				
(INDICATE ABOVE BY CHECK MARK N	ATURE OF REPORT, NOTICE, OR OTHE			
	Harch	2 . 19 <sup>61</sup>		
(% Sec. and Sec. No.) (Twp.) (R	Cange) (Meridian)	(State or Territory)		
	DEDUT/15ION/	(State of Territory)		
Union service Crar	561 I	(State of Territory)		
The elevation of the derrick floor above sea leve	l is ft.			
The elevation of the derrick floor above sea leve DETAIL	l is 3944 ft. S OF WORK			
The elevation of the derrick floor above sea leve DETAIL	l is 3944 ft. S OF WORK			
The elevation of the derrick floor above sea leve DETAIL	l is ft. S OF WORK			
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth	el is ft. S OF WORK , weights, and lengths of proposed c her important proposed work)	asings; indicate mudding jobs, cement-		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Unice-Sederal #2: From some to drill with only a tools to a	el is ft. S OF WORK , weights, and lengths of proposed c her important proposed work)	asings; indicate mudding jobs, cement-		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Unicm-federal #2: Propose to drill with oable tools to a will set approximately 600° of 8-5/8"	el is 3944 ft. S OF WORK , weights, and lengths of proposed c her important proposed work) approximately 3100 <sup>1</sup> used ii-10 21 casin	in Promier Sand, and		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #21 Propose to drill with oable tools to will set approximately 600° of 8-5/8" to surface, Will drill 7" hole to to	is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100 <sup>4</sup> used 1-40 24 casin tal ispth and set ap	in Premier Sand, and c, circulating conent provinately 3090'		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #21 Propose to drill with oable tools to will set approximately 600° of 8-5/8" to surface, Will drill 7" hole to to	is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100 <sup>4</sup> used 1-40 24 casin tal ispth and set ap	in Presier Sand, and g, circulating conent proximately 3090' at.		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #2: Propose to drill with oable tools to a will set approximately 600° of 8-5/3" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx	is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100 <sup>1</sup> used 1-40 24 casin tal septh and set ap ximately 100 ex com	in Premier Sand, and c, circulating conent provinately 3090'		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Unica-federal #2: Propose to drill with oable tools to a will set approximately 600° of 8-5/3" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx	is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100 <sup>4</sup> used 1-40 24 casin tal ispth and set ap	in Presier Sand, and g, circulating conent proximately 3090' at.		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth 30. Union-Sederal #2: Propose to drill with eahle tools to will set approximately 600° of 8-5/8" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx REC	I is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100 <sup>4</sup> used 11-40 24 casin tal depth and set ap ximately 100 ax come	asings; indicate mudding jobs, coment- in Promier Sand, and g, circulating coment proximately 3090' at. MAR 6 196		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth So. Union-Federal #2: Propose to drill with oable tools to will set approximately 600° of 8-5/9" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx RECONNERS	I is 3944 ft. S OF WORK weights, and lengths of proposed c her important proposed work) approximately 3100' used 140 24 casin tal sopth and set ap cinately 100 ax com EIVED 10 1961	asings; indicate mudding jobs, coment- in Premier Sand, and g, circulating covert provinately 3090' at. FREECLERVE MAR 6 196		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #2: Propose to drill with oable tools to will set approximately 600° of 8-5/3" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx RECONNERS	I is 3944 ft. S OF WORK weights, and lengths of proposed c her important proposed work) approximately 3100' used 140 24 casin tal sopth and set ap cinately 100 ax com EIVED 10 1961	asings; indicate mudding jobs, coment- in Premier Sand, and g, circulating covert provinately 3090' at. FREECLERVE MAR 6 196		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands: show sizes, ing points, and all oth Sc. Unica-federal #2: Propose to drill with oable tools to will set approximately 600° of 9-5/9" to surface, Will drill 7" hole to to of new 4." J-55 15# casing with approx MAR Lunderstand that this plan of work must receive approxal in w	I is 3944 ft. S OF WORK weights, and lengths of proposed c her important proposed work) approximately 3100' used 140 24 casin tal sopth and set ap cinately 100 ax com EIVED 10 1961	asings; indicate mudding jobs, coment- in Premier Sand, and g, circulating covert provinately 3090' at. FREECLERVE MAR 6 196		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands: show sizes, ing points, and all oth Sc. Unica-federal #2: Propose to drill with oable tools to will set approximately 600° of 9-5/9" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx MAR Lunderstand that this plan of work must receive approxal in w	I is 3944 ft. S OF WORK weights, and lengths of proposed c her important proposed work) approximately 3100' used 140 24 casin tal sopth and set ap cinately 100 ax com EIVED 10 1961	asings; indicate mudding jobs, coment- in Premier Sand, and g, circulating covert provinately 3090' at. FREECLERVE MAR 6 196		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #2: Propose to drill with oable tools to will set approximately 600° of 8-5/3" to surface, Will drill 7" hole to to of new 42" J-55 15# casing with approx RECONNERS	I is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100' used 1-40 24 casin tal depth and set ap cinately 100 ex cent EIVED 10 1961	asings; indicate mudding jobs, coment- in Presider Sand, and g, circulating covert provina to ly 3090' site FREECAER / E MAR 6 196 CAER COMENTICAER S DATE COMENTICAER S DATE COMENTICAER S		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #2: Propose to drill with oable tools to will set approximately 600° of 8-5/8" to surface. Will drill 7" hole to to of new 4.5" J-55 15# casing with approx MAR I understand that this plan of work must receive approval in w Company Bob Deen, Ltd. Address W. Projects, 910 Hidland Jav.	I is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100' used 1-40 24 casin tal depth and set ap cinately 100 ex cent EIVED 10 1961	asings; indicate mudding jobs, coment- in Presider Sand, and g, circulating covert provina to ly 3090' site FREECAER / E MAR 6 196 CAER COMENTICAER S DATE COMENTICAER S DATE COMENTICAER S		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #21 Propose to drill with oable tools to will set approximately 600° of 8-5/8" to surface, Will drill 7" hole to to of new 4." J-55 15# casing with approx MAR I understand that this plan of work must receive approxal in w Company Bean, Ltd.	I is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100' used 1-40 24 casin tal depth and set ap cinately 100 ex cent EIVED 10 1961	asings; indicate mudding jobs, coment- in Premier Sand, and g, circulating covert provinately 3090' at. FREECLERVE MAR 6 196		
The elevation of the derrick floor above sea leve DETAIL State names of and expected depths to objective sands; show sizes, ing points, and all oth Sc. Union-Federal #2: Propose to drill with oable tools to will set approximately 600° of 8-5/8" to surface. Will drill 7" hole to to of new 45" J-55 15# casing with approx MAR I understand that this plan of work must receive approval in we Company Bob Deen, Ltd. Address W. Projects, 910 Hidland Jav.	I is 3944 ft. S OF WORK , weights, and lengths of proposed c ser important proposed work) approximately 3100' used 1-40 24 casin tal depth and set ap cinately 100 ex cent EIVED 10 1961	asings; indicate mudding jobs, coment- in Premier Sand, and g, circulating consent proximately 3090' rate. FREECEEVE MAR 6 196 MAR 6 196 MAR 6 196 MAR 6 196 MAR 6 196 MAR 6 196		



		SEE INSTRU	ICTIONS FOR COM	PLETING	THIS FORM	ON THE REV	ERSE SIDE	ECEI NVISEd 5/1/5 MAR 1.4 1961
				SECTIO				MAN
Operator		Bob Dean, L	ŧd,	Lease	so. Unio	Pederal		ARTESIAS DEFICE
Jnit Letter	Section		wnship	Ran		County		ARTESIA
Int 11	K		T-15-5		8-30-5	County	¥ 4	•
	tage Location	of Well:	1-17-5		num ji mig		<u> </u>	
3320	feet fi	rom the	h line and	1 198	fe	et from the	Vent	line
Ground Lev	el Elev. P	roducing Format	ion	Pool	*****	A		Dedicated Acteage:
3942		Provior	Send	¥41	, ilenshaw	urayourg		40 Acre
who has another. 2. If the au wise?	<i>the right to di</i> (65–3–29 (e nswer to questi YES NO	rill into and to p ) NMSA 1935 Co ion one is "no," If ans	roduce from any poe omp.)	ol and to a of all the e of Consol	owners been o lidation	production e consolidated	ither for his	. ("Ouner" means the per nself or for himself and tization agreement or other
Owner	iswer to quest		list all the owners	and their				and the second se
→ # <b>II</b> CI					Land Descrip	01108		ALIN -
						·		
			ECTION B				7	CEDTIEICATION
<u></u>	í	i	P-3-5					CERTIFICATION
	۰ ŧ	E- 3-3				I hereby	certify that the information	
	l	١			1		1	ION A above is true and con
		ł			1			the best of my knowledge a
		i			ļ		belief.	
ł	i	9 2			· ·	· · ·	Name	O-A-A-
	1							SNOLAD
							Position	
	1	1			1			Agent
	i	ني) بن					Company	Male Paran TAU
	1	2320			i		Data	Bob Deen, Ltd.
		1 🕳					Date	March 2, 1961
	ł	ī					L	
		<u>j</u>						
Lo.	t 12	Lot 1	L Lou	11	Lot	1		
		4					I hereby	certify that the well locatio
		¢						the plat in SECTION B wa
	19& <b>_'</b> _	0 #2	4		ļ		-	om field notes of actual
	1							nade by me or under my
								on, and that the same is truct ct to the best of my knowle
			<b></b>		<u> </u>		and colle and belie	
lo	t 14-	Lot L	int int	15	loi	16		
	7.2						<b>D</b>	5
							Date Surv	•
					1			ary 3, 1962 ed Professional Engineer
1			1					and Surveyor
	I							
1/2 G						/	1) -	1/2

## INSTRUCTIONS FOR COMPLETION OF FORM C-128

<u>.</u>

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for *botb* oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.