

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☒ well Gas ☐ well other ☐

2. NAME OF OPERATOR
Mobil Producing TX. & N.M. Inc. ✓

3. ADDRESS OF OPERATOR
Nine Greenway Plaza, Suite 2700, Houston, TX 77046

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 2334' FNL & 330' FEL, Sec 3, T16S, R30E
AT TOP PROD. INTERVAL: Same as surface
AT TOTAL DEPTH: Same as surface

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☒
(other) ☐

SUBSEQUENT REPORT OF:


☐
☐
☐
☐
☐
☐
☐
☐
☐
☐

RECEIVED BY

JAN 05 1984

O. C. D.
ARTESIA, OFFICE

Report results of multiple completion or zone change in Form 9-330.



17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

- 1) POH w/rods, NU BOP & test, POH w/tbg.
- 2) Set cmt retainer @ 2800', sqz perfs (2830-2840) w/25sx C Neat cmt, cap cmt retainer w/5 sx (50') C Neat cmt.
- 3) Perf 5½" csg @ 1250' w/4 JSPF, sqz 37sx C Neat cmt behind 5½" csg. (TOC to 1150')
- 4) Perf 5½" csg @ 425' w/4 JSPF, sqz 25sx C Neat cmt between 5½" & 8-5/8" csg (TOC to 325').
- 5) Spot 5 sx C Neat cmt plug from 50' to surface.
- 6) Erect P&A marker. Clean location.

Procedure discussed w/Peter Chester, BLM, Roswell.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Paula A. Collins TITLE Authorized Agent DATE 11-9-83

APPROVED (This space for Federal or State office use)
(Orig. Sgd.) PETER W. CHESTER

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL IF ANY:

JAN 4 1984

CHAVES


EDDY

R-30-E

COUNTY

Texaco COUNTY

Subject Well



LEGEND

- Proposed Unit Boundary
- Proposed Participating Area
- Tract Number
- Not in Unit
- Proposed Injection Wells (Temporarily Abandoned)
- Injection Well (Conversion)
- Producing Well

WATERFLOOD PATTERN MAP
WEST HENSHAW PREMIER UNIT
EDDY COUNTY, NEW MEXICO
12-8-66 SCALE: 1"=2000'
R.W.

Shelly gathers Shell gas only
Phillips gathers all other gas
Continental takes oil

STATEMENT OF SURFACE RESTORATION INTENTION
ATTACHMENT TO USGS FORM 9-331, SUNDRY NOTICE OF INTENT TO ABANDON

Applicable To: Mobil Producing Texas & New Mexico Inc.
Nine Greenway Plaza, Suite 2700
Houston, TX 77046

Lease Name: West Henshaw Permian Unit, Tract 7c

Well No: 1

Location: 2334'FNL & 330'FEL, Sec. 3, T-16S, R-30E

This is to advise your office that surface restoration associated with the above described proposed plugging and abandonment will be conducted in accordance with applicable rules and regulations of the United States Geological Survey and the New Mexico Oil Conservation Commission; and in accordance with any existent agreement with the surface landowner, or in a manner arrived at by agreement with the surface landowner.

Such restoration work will include:

Backfilling of all pits and cellar. Levelling or contouring the location site. Clearing the location area of junk.

FORM 9-331 Dated: 11/09/83