Form 3160-5 (August 1999) OCD - Artesi

FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000

UNITED STATES DEPARTMENT OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE: Other instructions on reverse side SUBMIT IN TRIPLICATE: Other instructions on reverse side On Well Gas Well Other Nets Henshaw Premier Unit Trace Nets Henshaw Care N	Do not use ti	ひと としつていっとり ベル・ウード			J. Lease a	erial No.	
SUBMIT IN TRIPLICATE - Other instructions on reverse side SUBMIT IN TRIPLICATE - Other instructions on reverse side 1. If Unit or CA Agreement, Name and or No Agreement 8910087730 West Henshaw Premier Ut Tr 11 W. Saga Petroleum LLC Name of Operator Notice of Internation of Well General Properties Other 1. Location of Well General Properties Other 1. Location of Well Footiges, Sec. 7, R. M. or Survey Description 1. Location of Well Footiges, Sec. 7, R. M. or Survey Description 1. Location of Well Footiges, Sec. 7, R. M. or Survey Description 1. Location of Well Footiges, Sec. 7, R. M. or Survey Description 1. Location of Well Footiges, Sec. 7, R. M. or Survey Description 2. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 38 4 9 TYPE OF ACTION Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Subsequent Report Casing Repair New Construction Recomplete Other Final Abandonment Notice Change Plans Plug and Abandon Temporarily Abandon Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If this proposal is to deepen directionally or recomplete horizontally give substructed locations measured and true vertical depths of all pertinent markers and a coness. Attach the Bund under which the work will be performed or provide the Bond No. on file with BLM/BLA Required subsequent reports shall be filed once testing has been completed Operation (clearly state all pertinent details, including reclamation, have been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been c						NM 046615	
Agreement 8910087730 Mest Henshaw Premier Unit Trace 2. Name of Operator 2. Name of Operator 3. Address 415 W Wall, Suite 1900, Midland, TX 79701 4. Location of Well Footgage, Sec. T. R. M., or Survey Description 3.0015-03853 10. Field and Pool, or Exploratory Area West Henshaw Grayburg 3.0015-03855 10. Field and Pool, or Exploratory Area West Henshaw Grayburg 11. Country or Parish, State Eddy Country NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 3.4 Presument Production (Start/ Resume) Water Shut-Off Acidize Deepen Production (Start/ Resume) Water Shut-Off Alter Casing Fracture Treat Reclamation Well Integrity Subsequent Report Casing Repair New Construction Recomplete Other Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposal is to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA, Required subsequent reports shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 1.5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM 1.5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM 1.5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM					6. If India	n, Allottee or Tribe Name	
2. Name of Operator Saga Petroleum LLC 3a. Address 4. Location of Well, Footgage, Sec., T., R., M., or Survey Description) 3300' FSL & 660' FFL 4. Location of Well, Footgage, Sec., T., R., M., or Survey Description) 3300' FSL & 660' FFL 5ec 4 (M), T16S, R30E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 13. Address 14. Acidize 15. Deepen 16. Production (Start/ Resume) 17. Well Integrity 18. Subsequent Report 19. Casing Repair 19. Notice of Intent 20. Casing Repair 21. Change Plans 19. Plug and Abandon 22. Change Plans 19. Plug and Abandon 23. Temporarily Abandon 24. Temporarily Abandon 25. Temporarily Abandon 26. Temporarily Abandon 27. Temporarily Abandon 28. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleted, and the operator has determined that the site is ready for final inspection.) The Approved For LL Records Parks Well Integrity 29. API Well No. 30-015-03853 10. Field and Pool, or Exploratory Area West Henshaw Grayburg 110. Field and Pool, or Exploratory Area West Henshaw Grayburg 111. County or Parish, State Eddy County NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 29. API Well No. 30-015-03853 10. Field and Pool, or Exploratory Area West Henshaw Grayburg 110. Centry or Parish, State Eddy County NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 29. API Well No. 30-015-03853 110. Field and Pool, or Exploratory Area West Henshaw Grayburg 110. Incentive County Area West Henshaw Grayburg 111. County or Parish, State Eddy County NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER 11. County or Parish, State Eddy County NM 12. CHECK APPROPRIATE BOX(ES) 13. Period County or Parish, State		RIPLICATE - Other inst	tructions on revers	se side	Agr	ceement 8910087730	
Saga Petroleum LLC 3a. Address 4. Location of Well (Footgee, Sec., T., R., M., or Survey Description) 3300' FSL & 660' FPL Sec 4 (M), T16S, R30E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 39. API Well No. 30-015-03853 10. Field and Pool. or Exploratory Area West Henshaw Grayburg 11. County or Parish, State Eddy County NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION 39. 49 TYPE OF ACTION Notice of Intent Acidize Deepen Reclamation Recomplete Casing Repair New Construction Recomplete Other Change Plans Plug and Abandon Temporarily Abandon Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BLA. Required subsequent reports shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 1-5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM Chart & well bore diagram attached	☐ Oil Well ☐ Gas Well	$oldsymbol{X}$ Other					
4. Location of Well (Footgue, Sec. T. R. M., or Survey Description) Sec 4 (M), T16S, R30E 10. Field and Pool, or Exploratory Area West Henshaw Grayburg 11. County or Parish, State Eddy County NM 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Deepen Production (Start/ Resume) Water Shut-Off Alter Casing Fracture Treat Reclamation Well Integrity Subsequent Report Casing Repair New Construction Recomplete Change Plans Plug and Abandon Temporarily Abandon Temporarily Abandon Plug Back Water Disposal six to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed onice testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)						9. API Well No.	
Location of Well (Footoge, Sec., T. R., M., or Survey Description) Sec 4 (M), T16S, R30E II. County or Parish, State Eddy County NM		3b. Phone No. (inch	3b. Phone No. (include area code)				
Subsequent Report							
TYPE OF SUBMISSION Acidize	س 3300' FSL & 660' FEL س	:c., 1., K., M., or Survey Descript	non)		11. County Eddy Co	or Parish, State	
Notice of Intent	12. CHECK A	PPROPRIATE BOX(ES)	TO INDICATE NAT	URE OF NOTICE, F	EPORT, O	R OTHER DATA	
Notice of Intent	TYPE OF SUBMISSION		2249 T	YPE OF ACTION			
Alter Casing				Production (Start	/ Resume)	Water Shut-Off	
Subsequent Report	☐ Notice of Intent	Alter Casing			1100001112)		
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 1-5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM Chart & well bore diagram attached	X Subsequent Report	Casing Repair	New Construction	☐ Recomplete			
13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 1-5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM Chart & well bore diagram attached	Final Abandonment Notice		Plug and Abandon	X Temporarily Aba	ndon		
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) 1-5-2001 Pressure test to 630 psi for 30 mins - held ok. Witness by G Hunt of BLM Chart & well bore diagram attached		Convert to Injection	Plug Back	☐ Water Disposal			
TA Approved for 12 Month Period RECEIVED RECEIVED OCO ARTESIA	determined that the site is ready	for final inspection.)	filed only after all requireme	nts, including reclamation,	have been com	orm 3160-4 shall be filed once ipleted, and the operator has	
TA Approved for 12 Month Parked RECTURE 1/5/2002 RECTURE 000 ARTESIA	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - he		nts, including reclamation,	have been com	orm 3160-4 shall be filed once inpleted, and the operator has	
RECEIVED RECEIVED OCD ARTESIA	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - he		nts, including reclamation,	have been com	orm 3160-4 shall be filed once inpleted, and the operator has	
RECELLAD OCO - ARTESIA	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - hen attached	eld ok. Witness by 0	nts, including reclamation,		orm 3160-4 shall be filed once inpleted, and the operator has	
	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - hen attached	eld ok. Witness by 0	nts, including reclamation, G Hunt of BLM		orm 3160-4 shall be filed once inpleted, and the operator has	
and the second of the second o	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - hen attached	eld ok. Witness by 0	nts, including reclamation, G Hunt of BLM		RECEIVE	
	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - hen attached	eld ok. Witness by 0	nts, including reclamation, G Hunt of BLM		RECENSED OCO ARTESTA	
14. I hereby certify that the foregoing is true and correct Name (Printed Typed) Title	determined that the site is ready 1-5-2001 Pressure test to	for final inspection.) 630 psi for 30 mins - hen attached	eld ok. Witness by 0	nts, including reclamation, G Hunt of BLM		RECEIVED OUD ARTESTA	
	1-5-2001 Pressure test to Chart & well bore diagram 14. I hereby certify that the foregoin Name (Printed/Typed)	for final inspection.) 630 psi for 30 mins - hon attached	eld ok. Witness by C	nts, including reclamation, G Hunt of BLM 15/2002		RECENSIA	
Connel Gustianal 01/10/2001	1-5-2001 Pressure test to Chart & well bore diagram 14. [hereby certify that the foregoin Name (Printed Typed)] Bonnie Husband	for final inspection.) 630 psi for 30 mins - hon attached	eld ok. Witness by C	nts, including reclamation, G Hunt of BLM 15/2002		RECEIVED ARIESTA	
/ THIS SPACE FOR FEDERAL OR STATE OFFICE USE	1-5-2001 Pressure test to Chart & well bore diagram 14. I hereby certify that the foregoin Name (Printed/Typed)	for final inspection.) 630 psi for 30 mins - he attached g is true and correct	Title Production Date 01/10	Ints, including reclamation, G Hunt of BLM J 2 Nacrate J 5 / 2002 Juction Analyst	Period	RECENSION ARTESIA	
Approved by Title Date	1-5-2001 Pressure test to Chart & well bore diagram 14. I hereby certify that the foregoin Name (Printed Typed) Bonnie Husband Signature	for final inspection.) 630 psi for 30 mins - he attached g is true and correct	Title Production Date 01/10	nts, including reclamation, G Hunt of BLM 12 Nacrate 15 / 2002 Uction Analyst 1/2001 STATE OFFICE USE	Period	RECEIVED ARTESTA	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	1-5-2001 Pressure test to Chart & well bore diagram 14. Thereby certify that the foregoin Name (Printed Typed) Bonnie Husband Signature	for final inspection.) 630 psi for 30 mins - he attached g is true and correct THIS SPACE	Title Production Date 01/10	uction Analyst Title	Parkod	RECEIVED OUD ARTESTA	



