

(SUBMIT IN TRIPLICATE)

U. S. Land Office, Artesia, N. M.

Federal Virginia F.
Carpenter et vir.UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLease or permit No. LC-028940
Co. #72016

APPROVED

5/31/44

J. C. Vandewater
ACTING DISTRICT ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input checked="" type="checkbox"/> SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Midland, Texas, May 24, 1944

Well No. 1 is located 1980 ft. from $\begin{matrix} N \\ 8 \end{matrix}$ line and 1980 ft. from $\begin{matrix} E \\ W \end{matrix}$ line of sec. 20SW/4 of NE/4 of Sec. 20 16-S 30-E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)Square Lake, Midland, Eddy, New Mexico
(Field) (County or Subdivision)

The elevation of the derrick floor above sea level is 3775 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SET CASING AS FOLLOWS:

SIZE	WEIGHT	AMOUNT	SET AT	FORMATION	TOTAL DEPTH OF WELL	NO. SACKS & MAY CEMENT	PLUG ON BOTTOM
7"	20#	2001'	2206'	Anhydrite	2206'	100 sacks Incor	9:20 PM 5-23-44

To test by bailing hole dry and drill plug 9:20 PM 5-26-44. Specified no notice of intention to drill that 2500' of 7" casing would be set and cemented with 200 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company, Humble Oil & Refining Company

Address, Box 1600, Midland, Texas

By

Title, Division Superintendent

(SUBMIT IN TRIPLICATE)

U. S. Land Office Artesia, N. M.

Federal Virginia F.
Carpenter of Vir

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Lease or permit No. LC-028940
Co. 72016

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Midland, Texas, May 5....., 1944

Well No. 1 is located 1980 ft. from N line and 1980 ft. from E line of sec. 20

SW/4 of NE/4 Sec. 20
(1/4 Sec. and Sec. No.)

16-C
(Twp.)

30-2
(Range)

(Meridian)

Square Lake Wildcat
(Field)

Eddy
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is 3775 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Tested 10-3/4" casing by bailing dry on May 4, 1944 after allowing cement to set 181-1/2 hrs. Tested satisfactory.

Specified on Form 9-331a of 4-28-44 that plug would be drilled midnight 4-28-44.

GEOLOGICAL SURVEY
RECEIVED
MAY 9 1944

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Artesia, New Mexico
Company Humble Oil & Refining Company

Address Box 1600, Midland, Texas

By [Signature]

Title Division Superintendent

(SUBMIT IN TRIPLICATE)

U. S. Land Office Artesia, N.M.

Federal Virginia F.

Carpenter et al.

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Lease or permit No. LC-028940

Co. #72016

APPROVED

DISTRICT ENGINEER

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Midland, Texas, April 28, 19 44

Well No. 1 is located 1980 ft. from [N] line and 1980 ft. from [E] line of sec. 20

SW/4 of NE/4 of Sec. 20 16-S 30-E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Square Lake Wildcat Eddy
(Field) (County or Subdivision)

The elevation of the derrick floor above sea level is 3775 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casing, and indicate mudding jobs, cementing points, and all other important proposed work)

SET CASING AS FOLLOWS:

Size	Weight	Amount	Set At	Formation	Depth of Well	No. Sacks & Make Cement	Plug on Bottom
10-3/4"	40.5#	601'	605'	Anhydrite	617'	75 sacks Incor	10:30 PM 4-26-44

Halliburton method used.

To test by bailing hole dry and drill plug midnight April 28, 1944. Specified on Form 9-331A that 500' of 10-3/4" casing would be set and cemented with 100 sacks cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Humble Oil & Refining Company

Address Box 1600, Midland, Texas

By [Signature]
Title Division Superintendent

(SUBMIT IN TRIPLICATE)

U. S. Land Office.....
Lease or permit No. LC-028940
Co. Lse. #72016

Federal Virginia F.
Carpenter et vir

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Midland, Texas, April 5, 1944

Well No. 1 is located 1980 ft. from N line and 1980 ft. from E line of sec. 20

SW/4 of NE/4 of Sec. 20 16-S 30-E
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Square Lake Wildcat Eddy New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3775 ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FT.	NEW OR SECOND-HAND	DEPTH	LANDED OR CEMENTED	SACKS CEMENT	METHOD OF CEMENTING
12-1/2"	10-3/4"	40.5#	New	500'	Cemented	100	Halliburton
9-7/8"	7"	20#	"	2500'	"	200	"
6-1/4"	5-1/2"	14#	"	4000'	"	100	"

I understand that this plan of work must receive approval in writing by the Geological Survey before

Company Humble Oil & Refining Company

Address Box 1600, Midland, Texas



By [Signature]
Title Division Superintendent